TYRANNA RESOURCES

ASX ANNOUNCEMENT

ASX CODE: TYX

DIRECTORS

Ian Finch
Chairman

Bruno Seneque
Managing Director

Neil McKay
Company Secretary and Non-Executive Director

SHARE REGISTRY

Advanced Share Registry Services
110 Stirling Highway
Nedlands WA 6009
T: +61 8 9389 8033
F: +61 8 9389 7871

REGISTERED OFFICE

Level 2 679 Murray Street
West Perth WA 6005
P: +61 8 9485 1040
F: +61 8 9485 1050

4th February, 2016

Gold Hits Continue at Golf Bore

- Strong Gold Intersections from all 12 Holes
- Better results include: -
  - **5m @ 4.15 g/t** from 30m including **1m @ 12.06 g/t**
  - **17m @ 1.59 g/t** from 32m including **2m @ 5.20 g/t**
  - **10m @ 2.61 g/t** from 105m including **1m @ 6.80 g/t**
  - **5m @ 3.69 g/t** from 67m including **2m @ 7.04 g/t**
  - **3m @ 4.23 g/t** from 44m including **1m @ 8.90 g/t**
  - **1m @ 24.28 g/t** from 104m
  - **1m @ 8.55 g/t** from 78m
- Results Below 100m Indicate Excellent Depth Potential

The Directors of Tyranna Resources Ltd. (ASX : TYX) are pleased to announce the results of a recently completed 1,307m reverse circulation (RC) drill program at the Golf Bore gold prospect in South Australia's Western Gawler Craton.

The Golf Bore gold prospect is one of seven advanced prospects within the Jumbuck Gold Project which covers an area of approximately 8,000 Km^2. Golf Bore is situated on EL4577 which forms part of a joint venture with Kingsgate Consolidated Limited (Currently TYX 59% - KCN 41%). The Challenger Gold mine has operated successfully for over 10 years and has produced in excess of 1 million ounces of gold.

A total of 12 holes were completed for 1,307 meters. All 12 holes intersected significant gold (Table 1). Due to the success of these holes the Company is now planning an extensive and aggressive exploration programme at Jumbuck for the remainder of 2016 including drilling at TYX 100% owned Golf Bore North Prospect which is directly along strike from Golf Bore.

The current drilling was designed to target the deeper zones of gold mineralization and Challenger "look-a-like targets" intersected in previous drilling by Tyranna during 2015.

These results have further demonstrated the extensive gold mineralization at the Golf Bore deposit whilst indicating the increasing gold potential, at depth. The mineralization at Golf Bore has a known strike length of 800m and remains open both down dip and along strike. Drilling at Golf Bore North has the potential of extending the known strike length to 1,600m (Figure 1).

A total of 1,107 samples were analyzed at Genalysis Laboratory in Adelaide. Significant intersections from all 12 holes are summarized in table 1 below and complete results are provided in Appendix 1 at the end of this release.

Table 1: Significant intercepts from the latest drilling (12 Holes) at Golf Bore prospect, Western Gawler Craton, South Australia

Hole ID	Northing	Easting	Total Depth (m)	Dip	Depth From (m)	Depth To (m)	Intercept Width	Au g/t
15GBRC090	6726663	404739	95	-60	32	49	17	1.59
		including			36	38	2	5.20
		and			63	66	3	1.16
15GBRC091	6726709	404731	108	-60	43	45	2	4.18
		including			44	45	1	7.84
15GBRC092	6726703	404811	90	-60	30	35	5	4.15
		including			30	33	3	6.24
		including			31	32	1	12.06
15GBRC093	6726739	404794	132	-60	105	115	10	2.61
		including			110	111	1	6.80
15GBRC094	6726742	404819	108	-60	51	57	6	0.87
		including			55	56	1	2.24
15GBRC095	6726737	404842	138	-60	44	47	3	4.23
		including			45	46	1	8.90
		and			67	72	5	3.69
		including			69	71	2	7.04
		and			90	97	7	1.25
15GBRC096	6276760	404860	120	-60	67	69	2	3.41
		including			67	68	1	6.44
		and			78	80	2	2.00
		and			96	113	17	1.74
		including			104	105	1	24.28
		including			112	113	1	4.34
15GBRC097	6726752	404883	120	-60	52	54	2	5.51
		including			52	53	1	10.02
		and			79	81	2	3.04
		including			79	80	1	5.52
15GBRC098	6726972	405141	72	-60	54	62	8	1.20
		including			57	59	2	1.90
15GBRC099	6726884	405076	102	-60	81	84	3	1.63
15GBRC100	6726879	405038	102	-60	84	94	10	1.05
		including			84	87	3	1.64
15GBRC101	6726787	404931	120	-60	78	79	1	8.55
		and			91	94	3	1.80
		including			92	93	1	3.95



Figure 1: Long section of mineralisation at Golf Bore and Golf Bore North highlighting position of gold intercepts >5 g/t from RC drilling at Golf Bore. Drilling at Golf Bore North has the potential of extending the known strike length to 1600m.

Due to the success of the recent drilling programmes (See previous ASX releases), Tyranna intends to continue drilling within the Jumbuck Project area throughout the coming year.

The immediate target is to realise a near surface (0m to 60m) gold inventory of ~500,000 ounces that can be readily and simply processed. Thereafter, selected, deeper, primary ore will be targeted with an overall aspirational target of over 3 million ounces within the next 2 years.

- ENDS –

CONTACT:

Bruno Seneque

Tyranna Resources Limited

P: +61 8 9485 1040

Competent person statement:

The information in this announcement that relates to Exploration Results is based on information compiled by Mr Mark Le Grange, who is a Member of The Australasian Institute of Mining and Metallurgy and who has more than five years' experience in the field of activity being reported on. Mr. Le Grange is a full time employee and Exploration Manager of the company.

Mr. Le Grange has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Le Grange consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.



Figure 2: Plan Map for second phase RC drilling at Golf Bore

TYRANNA RESOURCES

Appendix 1: Complete results for drill holes 15GBRC90 to 15GBRC101

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC090	6726663	404739	95	136	-60	0	4	4	0.07	15GBRC090	6726663	404739	95	136	-60	86	87	1	0.18
15GBRC090	6726663	404739	95	136	-60	4	8	4	0.005	15GBRC090	6726663	404739	95	136	-60	87	88	1	0.03
15GBRC090	6726663	404739	95	136	-60	8	12	4	0.01	15GBRC090	6726663	404739	95	136	-60	88	89	1	0.005
15GBRC090	6726663	404739	95	136	-60	12	16	4	0.03	15GBRC090	6726663	404739	95	136	-60	89	90	1	0.15
15GBRC090	6726663	404739	95	136	-60	16	17	1	0.005	15GBRC090	6726663	404739	95	136	-60	90	91	1	0.17
15GBRC090	6726663	404739	95	136	-60	17	18	1	0.02	15GBRC090	6726663	404739	95	136	-60	91	92	1	0.1
15GBRC090	6726663	404739	95	136	-60	18	19	1	0.005	15GBRC090	6726663	404739	95	136	-60	92	93	1	0.22
15GBRC090	6726663	404739	95	136	-60	19	20	1	0.01	15GBRC090	6726663	404739	95	136	-60	93	94	1	0.21
15GBRC090	6726663	404739	95	136	-60	20	21	1	0.005	15GBRC090	6726663	404739	95	136	-60	94	95	1	0.27
15GBRC090	6726663	404739	95	136	-60	21	22	1	0.01	15GBRC091	6726709	404731	108	136	-60	0	4	4	0.01
15GBRC090	6726663	404739	95	136	-60	22	23	1	0.01	15GBRC091	6726709	404731	108	136	-60	4	8	4	0.02
15GBRC090	6726663	404739	95	136	-60	23	24	1	0.005	15GBRC091	6726709	404731	108	136	-60	8	12	4	0.005
15GBRC090	6726663	404739	95	136	-60	24	25	1	0.02	15GBRC091	6726709	404731	108	136	-60	12	16	4	0.005
15GBRC090	6726663	404739	95	136	-60	25	26	1	0.005	15GBRC091	6726709	404731	108	136	-60	16	20	4	0.01
15GBRC090	6726663	404739	95	136	-60	26	27	1	0.005	15GBRC091	6726709	404731	108	136	-60	20	24	4	0.005
15GBRC090	6726663	404739	95	136	-60	27	28	1	0.02	15GBRC091	6726709	404731	108	136	-60	24	28	4	0.01
15GBRC090	6726663	404739	95	136	-60	28	29	1	0.02	15GBRC091	6726709	404731	108	136	-60	28	29	1	0.01
15GBRC090	6726663	404739	95	136	-60	29	30	1	0.005	15GBRC091	6726709	404731	108	136	-60	29	30	1	0.005
15GBRC090	6726663	404739	95	136	-60	30	31	1	0.06	15GBRC091	6726709	404731	108	136	-60	30	31	1	0.005
15GBRC090	6726663	404739	95	136	-60	31	32	1	0.07	15GBRC091	6726709	404731	108	136	-60	31	32	1	0.005
15GBRC090	6726663	404739	95	136	-60	32	33	1	1.38	15GBRC091	6726709	404731	108	136	-60	32	33	1	0.48
15GBRC090	6726663	404739	95	136	-60	33	34	1	1.66	15GBRC091	6726709	404731	108	136	-60	33	34	1	0.41
15GBRC090	6726663	404739	95	136	-60	34	35	1	0.29	15GBRC091	6726709	404731	108	136	-60	34	35	1	0.11
15GBRC090	6726663	404739	95	136	-60	35	36	1	0.29	15GBRC091	6726709	404731	108	136	-60	35	36	1	0.05
15GBRC090	6726663	404739	95	136	-60	36	37	1	4.19	15GBRC091	6726709	404731	108	136	-60	36	37	1	0.02
15GBRC090	6726663	404739	95	136	-60	37	38	1	6.24	15GBRC091	6726709	404731	108	136	-60	37	38	1	0.02
15GBRC090	6726663	404739	95	136	-60	38	39	1	0.49	15GBRC091	6726709	404731	108	136	-60	38	39	1	0.005
15GBRC090	6726663	404739	95	136	-60	39	40	1	1.14	15GBRC091	6726709	404731	108	136	-60	39	40	1	0.005
15GBRC090	6726663	404739	95	136	-60	40	41	1	3.55	15GBRC091	6726709	404731	108	136	-60	40	41	1	0.13
15GBRC090	6726663	404739	95	136	-60	41	42	1	1.69	15GBRC091	6726709	404731	108	136	-60	41	42	1	0.005
15GBRC090	6726663	404739	95	136	-60	42	43	1	0.36	15GBRC091	6726709	404731	108	136	-60	42	43	1	0.005
15GBRC090	6726663	404739	95	136	-60	43	44	1	0.73	15GBRC091	6726709	404731	108	136	-60	43	44	1	0.51
15GBRC090	6726663	404739	95	136	-60	44	45	1	0.74	15GBRC091	6726709	404731	108	136	-60	44	45	1	7.84
15GBRC090	6726663	404739	95	136	-60	45	46	1	1.92	15GBRC091	6726709	404731	108	136	-60	45	46	1	0.18
15GBRC090	6726663	404739	95	136	-60	46	47	1	0.65	15GBRC091	6726709	404731	108	136	-60	46	47	1	0.13
15GBRC090	6726663	404739	95	136	-60	47	48	1	0.19	15GBRC091	6726709	404731	108	136	-60	47	48	1	0.06
15GBRC090	6726663	404739	95	136	-60	48	49	1	1.46	15GBRC091	6726709	404731	108	136	-60	48	49	1	0.24
15GBRC090	6726663	404739	95	136	-60	49	50	1	0.12	15GBRC091	6726709	404731	108	136	-60	49	50	1	0.37
15GBRC090	6726663	404739	95	136	-60	50	51	1	0.02	15GBRC091	6726709	404731	108	136	-60	50	51	1	0.08
15GBRC090	6726663	404739	95	136	-60	51	52	1	0.03	15GBRC091	6726709	404731	108	136	-60	51	52	1	0.07
15GBRC090	6726663	404739	95	136	-60	52	53	1	0.05	15GBRC091	6726709	404731	108	136	-60	52	53	1	0.16
15GBRC090	6726663	404739	95	136	-60	53	54	1	0.11	15GBRC091	6726709	404731	108	136	-60	53	54	1	0.26
15GBRC090	6726663	404739	95	136	-60	54	55	1	0.18	15GBRC091	6726709	404731	108	136	-60	54	55	1	0.09
15GBRC090	6726663	404739	95	136	-60	55	56	1	0.06	15GBRC091	6726709	404731	108	136	-60	55	56	1	0.04
15GBRC090	6726663	404739	95	136	-60	56	57	1	0.05	15GBRC091	6726709	404731	108	136	-60	56	57	1	0.15
15GBRC090	6726663	404739	95	136	-60	57	58	1	0.28	15GBRC091	6726709	404731	108	136	-60	57	58	1	0.57
15GBRC090	6726663	404739	95	136	-60	58	59	1	0.04	15GBRC091	6726709	404731	108	136	-60	58	59	1	0.54
15GBRC090	6726663	404739	95	136	-60	59	60	1	0.04	15GBRC091	6726709	404731	108	136	-60	59	60	1	0.24
15GBRC090	6726663	404739	95	136	-60	60	61	1	0.23	15GBRC091	6726709	404731	108	136	-60	60	61	1	0.07
15GBRC090	6726663	404739	95	136	-60	61	62	1	0.18	15GBRC091	6726709	404731	108	136	-60	61	62	1	0.03
15GBRC090	6726663	404739	95	136	-60	62	63	1	0.16	15GBRC091	6726709	404731	108	136	-60	62	63	1	0.02
15GBRC090	6726663	404739	95	136	-60	63	64	1	0.52	15GBRC091	6726709	404731	108	136	-60	63	64	1	0.06
15GBRC090	6726663	404739	95	136	-60	64	65	1	1.22	15GBRC091	6726709	404731	108	136	-60	64	65	1	0.07
15GBRC090	6726663	404739	95	136	-60	65	66	1	1.73	15GBRC091	6726709	404731	108	136	-60	65	66	1	0.08
15GBRC090	6726663	404739	95	136	-60	66	67	1	0.09	15GBRC091	6726709	404731	108	136	-60	66	67	1	0.03
15GBRC090	6726663	404739	95	136	-60	67	68	1	0.38	15GBRC091	6726709	404731	108	136	-60	67	68	1	0.03
15GBRC090	6726663	404739	95	136	-60	68	69	1	0.16	15GBRC091	6726709	404731	108	136	-60	68	69	1	0.03
15GBRC090	6726663	404739	95	136	-60	69	70	1	0.21	15GBRC091	6726709	404731	108	136	-60	69	70	1	0.02
15GBRC090	6726663	404739	95	136	-60	70	71	1	0.09	15GBRC091	6726709	404731	108	136	-60	70	71	1	0.06
15GBRC090	6726663	404739	95	136	-60	71	72	1	0.09	15GBRC091	6726709	404731	108	136	-60	71	72	1	0.03
15GBRC090	6726663	404739	95	136	-60	72	73	1	0.06	15GBRC091	6726709	404731	108	136	-60	72	73	1	0.06
15GBRC090	6726663	404739	95	136	-60	73	74	1	0.02	15GBRC091	6726709	404731	108	136	-60	73	74	1	0.2
15GBRC090	6726663	404739	95	136	-60	74	75	1	0.03	15GBRC091	6726709	404731	108	136	-60	74	75	1	1.02
15GBRC090	6726663	404739	95	136	-60	75	76	1	0.03	15GBRC091	6726709	404731	108	136	-60	75	76	1	0.28
15GBRC090	6726663	404739	95	136	-60	76	77	1	0.13	15GBRC091	6726709	404731	108	136	-60	76	77	1	0.25

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC091	6726709	404731	108	136	-60	86	87	1	0.02	15GBRC092	6726703	404811	90	136	-60	64	65	1	0.1
15GBRC091	6726709	404731	108	136	-60	87	88	1	0.005	15GBRC092	6726703	404811	90	136	-60	65	66	1	0.13
15GBRC091	6726709	404731	108	136	-60	88	89	1	0.03	15GBRC092	6726703	404811	90	136	-60	66	67	1	0.1
15GBRC091	6726709	404731	108	136	-60	89	90	1	0.03	15GBRC092	6726703	404811	90	136	-60	67	68	1	0.05
15GBRC091	6726709	404731	108	136	-60	90	91	1	0.2	15GBRC092	6726703	404811	90	136	-60	68	69	1	0.03
15GBRC091	6726709	404731	108	136	-60	91	92	1	0.06	15GBRC092	6726703	404811	90	136	-60	69	70	1	1.15
15GBRC091	6726709	404731	108	136	-60	92	93	1	0.02	15GBRC092	6726703	404811	90	136	-60	70	71	1	0.07
15GBRC091	6726709	404731	108	136	-60	93	94	1	0.02	15GBRC092	6726703	404811	90	136	-60	71	72	1	0.39
15GBRC091	6726709	404731	108	136	-60	94	95	1	0.01	15GBRC092	6726703	404811	90	136	-60	72	73	1	0.11
15GBRC091	6726709	404731	108	136	-60	95	96	1	0.05	15GBRC092	6726703	404811	90	136	-60	73	74	1	0.07
15GBRC091	6726709	404731	108	136	-60	96	97	1	0.32	15GBRC092	6726703	404811	90	136	-60	74	75	1	0.13
15GBRC091	6726709	404731	108	136	-60	97	98	1	0.2	15GBRC092	6726703	404811	90	136	-60	75	76	1	0.14
15GBRC091	6726709	404731	108	136	-60	98	99	1	0.05	15GBRC092	6726703	404811	90	136	-60	76	77	1	0.13
15GBRC091	6726709	404731	108	136	-60	99	100	1	0.04	15GBRC092	6726703	404811	90	136	-60	77	78	1	0.09
15GBRC091	6726709	404731	108	136	-60	100	101	1	0.04	15GBRC092	6726703	404811	90	136	-60	78	79	1	0.09
15GBRC091	6726709	404731	108	136	-60	101	102	1	0.05	15GBRC092	6726703	404811	90	136	-60	79	80	1	0.87
15GBRC091	6726709	404731	108	136	-60	102	103	1	0.03	15GBRC092	6726703	404811	90	136	-60	80	81	1	0.64
15GBRC091	6726709	404731	108	136	-60	103	104	1	0.13	15GBRC092	6726703	404811	90	136	-60	81	82	1	0.44
15GBRC091	6726709	404731	108	136	-60	104	105	1	0.09	15GBRC092	6726703	404811	90	136	-60	82	83	1	0.29
15GBRC091	6726709	404731	108	136	-60	105	106	1	0.05	15GBRC092	6726703	404811	90	136	-60	83	84	1	0.16
15GBRC091	6726709	404731	108	136	-60	106	107	1	0.03	15GBRC092	6726703	404811	90	136	-60	84	85	1	0.09
15GBRC091	6726709	404731	108	136	-60	107	108	1	0.11	15GBRC092	6726703	404811	90	136	-60	85	86	1	0.08
15GBRC092	6726703	404811	90	136	-60	0	4	4	0.02	15GBRC092	6726703	404811	90	136	-60	86	87	1	0.005
15GBRC092	6726703	404811	90	136	-60	4	8	4	0.01	15GBRC092	6726703	404811	90	136	-60	87	88	1	0.005
15GBRC092	6726703	404811	90	136	-60	8	12	4	0.03	15GBRC092	6726703	404811	90	136	-60	88	89	1	0.005
15GBRC092	6726703	404811	90	136	-60	12	16	4	0.02	15GBRC092	6726703	404811	90	136	-60	89	90	1	0.02
15GBRC092	6726703	404811	90	136	-60	16	17	1	0.005	15GBRC093	6726739	404794	132	136	-60	0	4	4	0.02
15GBRC092	6726703	404811	90	136	-60	17	18	1	0.02	15GBRC093	6726739	404794	132	136	-60	4	8	4	0.005
15GBRC092	6726703	404811	90	136	-60	18	19	1	0.01	15GBRC093	6726739	404794	132	136	-60	8	12	4	0.005
15GBRC092	6726703	404811	90	136	-60	19	20	1	0.005	15GBRC093	6726739	404794	132	136	-60	12	16	4	0.005
15GBRC092	6726703	404811	90	136	-60	20	21	1	0.005	15GBRC093	6726739	404794	132	136	-60	16	20	4	0.005
15GBRC092	6726703	404811	90	136	-60	21	22	1	0.03	15GBRC093	6726739	404794	132	136	-60	20	24	4	0.005
15GBRC092	6726703	404811	90	136	-60	22	23	1	0.005	15GBRC093	6726739	404794	132	136	-60	24	25	1	0.005
15GBRC092	6726703	404811	90	136	-60	23	24	1	0.11	15GBRC093	6726739	404794	132	136	-60	25	26	1	0.005
15GBRC092	6726703	404811	90	136	-60	24	25	1	0.19	15GBRC093	6726739	404794	132	136	-60	26	27	1	0.005
15GBRC092	6726703	404811	90	136	-60	25	26	1	0.05	15GBRC093	6726739	404794	132	136	-60	27	28	1	0.005
15GBRC092	6726703	404811	90	136	-60	26	27	1	0.02	15GBRC093	6726739	404794	132	136	-60	28	29	1	0.005
15GBRC092	6726703	404811	90	136	-60	27	28	1	0.01	15GBRC093	6726739	404794	132	136	-60	29	30	1	0.02
15GBRC092	6726703	404811	90	136	-60	28	29	1	0.01	15GBRC093	6726739	404794	132	136	-60	30	31	1	0.005
15GBRC092	6726703	404811	90	136	-60	29	30	1	0.04	15GBRC093	6726739	404794	132	136	-60	31	32	1	0.005
15GBRC092	6726703	404811	90	136	-60	30	31	1	3.16	15GBRC093	6726739	404794	132	136	-60	32	33	1	0.14
15GBRC092	6726703	404811	90	136	-60	31	32	1	12.06	15GBRC093	6726739	404794	132	136	-60	33	34	1	0.51
15GBRC092	6726703	404811	90	136	-60	32	33	1	3.5	15GBRC093	6726739	404794	132	136	-60	34	35	1	NULL
15GBRC092	6726703	404811	90	136	-60	33	34	1	1.31	15GBRC093	6726739	404794	132	136	-60	35	36	1	0.06
15GBRC092	6726703	404811	90	136	-60	34	35	1	0.73	15GBRC093	6726739	404794	132	136	-60	36	37	1	0.05
15GBRC092	6726703	404811	90	136	-60	35	36	1	0.28	15GBRC093	6726739	404794	132	136	-60	37	38	1	0.04
15GBRC092	6726703	404811	90	136	-60	36	37	1	0.31	15GBRC093	6726739	404794	132	136	-60	38	39	1	0.02
15GBRC092	6726703	404811	90	136	-60	37	38	1	0.15	15GBRC093	6726739	404794	132	136	-60	39	40	1	0.02
15GBRC092	6726703	404811	90	136	-60	38	39	1	0.05	15GBRC093	6726739	404794	132	136	-60	40	41	1	0.005
15GBRC092	6726703	404811	90	136	-60	39	40	1	0.11	15GBRC093	6726739	404794	132	136	-60	41	42	1	0.02
15GBRC092	6726703	404811	90	136	-60	40	41	1	0.18	15GBRC093	6726739	404794	132	136	-60	42	43	1	0.005
15GBRC092	6726703	404811	90	136	-60	41	42	1	0.11	15GBRC093	6726739	404794	132	136	-60	43	44	1	0.01
15GBRC092	6726703	404811	90	136	-60	42	43	1	0.05	15GBRC093	6726739	404794	132	136	-60	44	45	1	0.005
15GBRC092	6726703	404811	90	136	-60	43	44	1	0.04	15GBRC093	6726739	404794	132	136	-60	45	46	1	0.005
15GBRC092	6726703	404811	90	136	-60	44	45	1	0.2	15GBRC093	6726739	404794	132	136	-60	46	47	1	0.05
15GBRC092	6726703	404811	90	136	-60	45	46	1	0.04	15GBRC093	6726739	404794	132	136	-60	47	48	1	0.01
15GBRC092	6726703	404811	90	136	-60	46	47	1	0.03	15GBRC093	6726739	404794	132	136	-60	48	49	1	0.005
15GBRC092	6726703	404811	90	136	-60	47	48	1	0.03	15GBRC093	6726739	404794	132	136	-60	49	50	1	0.005
15GBRC092	6726703	404811	90	136	-60	48	49	1	0.005	15GBRC093	6726739	404794	132	136	-60	50	51	1	0.02
15GBRC092	6726703	404811	90	136	-60	49	50	1	0.03	15GBRC093	6726739	404794	132	136	-60	51	52	1	0.01
15GBRC092	6726703	404811	90	136	-60	50	51	1	0.19	15GBRC093	6726739	404794	132	136	-60	52	53	1	0.01
15GBRC092	6726703	404811	90	136	-60	51	52	1	2	15GBRC093	6726739	404794	132	136	-60	53	54	1	0.03
15GBRC092	6726703	404811	90	136	-60	52	53	1	0.14	15GBRC093	6726739	404794	132	136	-60	54	55	1	0.02
15GBRC092	6726703	404811	90	136	-60	53	54	1	0.22	15GBRC093	6726739	404794	132	136	-60	55	56	1	0.005
15GBRC092	6726703	404811	90	136	-60	54	55	1	0.16	15GBRC093	6726739	404794	132	136	-60	56	57	1	0.01

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC093	6726739	404794	132	136	-60	66	67	1	0.09	15GBRC094	6726742	404819	108	136	-60	26	27	1	0.02
15GBRC093	6726739	404794	132	136	-60	67	68	1	0.04	15GBRC094	6726742	404819	108	136	-60	27	28	1	0.01
15GBRC093	6726739	404794	132	136	-60	68	69	1	0.03	15GBRC094	6726742	404819	108	136	-60	28	29	1	0.02
15GBRC093	6726739	404794	132	136	-60	69	70	1	0.02	15GBRC094	6726742	404819	108	136	-60	29	30	1	0.005
15GBRC093	6726739	404794	132	136	-60	70	71	1	0.03	15GBRC094	6726742	404819	108	136	-60	30	31	1	0.01
15GBRC093	6726739	404794	132	136	-60	71	72	1	0.02	15GBRC094	6726742	404819	108	136	-60	31	32	1	0.02
15GBRC093	6726739	404794	132	136	-60	72	73	1	0.3	15GBRC094	6726742	404819	108	136	-60	32	33	1	0.005
15GBRC093	6726739	404794	132	136	-60	73	74	1	0.05	15GBRC094	6726742	404819	108	136	-60	33	34	1	0.02
15GBRC093	6726739	404794	132	136	-60	74	75	1	0.13	15GBRC094	6726742	404819	108	136	-60	34	35	1	0.04
15GBRC093	6726739	404794	132	136	-60	75	76	1	0.2	15GBRC094	6726742	404819	108	136	-60	35	36	1	0.03
15GBRC093	6726739	404794	132	136	-60	76	77	1	0.28	15GBRC094	6726742	404819	108	136	-60	36	37	1	0.22
15GBRC093	6726739	404794	132	136	-60	77	78	1	0.25	15GBRC094	6726742	404819	108	136	-60	37	38	1	0.2
15GBRC093	6726739	404794	132	136	-60	78	79	1	0.13	15GBRC094	6726742	404819	108	136	-60	38	39	1	0.06
15GBRC093	6726739	404794	132	136	-60	79	80	1	0.12	15GBRC094	6726742	404819	108	136	-60	39	40	1	0.02
15GBRC093	6726739	404794	132	136	-60	80	81	1	0.09	15GBRC094	6726742	404819	108	136	-60	40	41	1	0.02
15GBRC093	6726739	404794	132	136	-60	81	82	1	0.04	15GBRC094	6726742	404819	108	136	-60	41	42	1	0.03
15GBRC093	6726739	404794	132	136	-60	82	83	1	0.03	15GBRC094	6726742	404819	108	136	-60	42	43	1	0.05
15GBRC093	6726739	404794	132	136	-60	83	84	1	0.04	15GBRC094	6726742	404819	108	136	-60	43	44	1	0.02
15GBRC093	6726739	404794	132	136	-60	84	85	1	0.005	15GBRC094	6726742	404819	108	136	-60	44	45	1	0.02
15GBRC093	6726739	404794	132	136	-60	85	86	1	0.03	15GBRC094	6726742	404819	108	136	-60	45	46	1	0.03
15GBRC093	6726739	404794	132	136	-60	86	87	1	0.04	15GBRC094	6726742	404819	108	136	-60	46	47	1	0.06
15GBRC093	6726739	404794	132	136	-60	87	88	1	0.19	15GBRC094	6726742	404819	108	136	-60	47	48	1	0.21
15GBRC093	6726739	404794	132	136	-60	88	89	1	0.09	15GBRC094	6726742	404819	108	136	-60	48	49	1	0.1
15GBRC093	6726739	404794	132	136	-60	89	90	1	0.79	15GBRC094	6726742	404819	108	136	-60	49	50	1	0.32
15GBRC093	6726739	404794	132	136	-60	90	91	1	0.17	15GBRC094	6726742	404819	108	136	-60	50	51	1	0.06
15GBRC093	6726739	404794	132	136	-60	91	92	1	0.29	15GBRC094	6726742	404819	108	136	-60	51	52	1	0.79
15GBRC093	6726739	404794	132	136	-60	92	93	1	0.06	15GBRC094	6726742	404819	108	136	-60	52	53	1	0.13
15GBRC093	6726739	404794	132	136	-60	93	94	1	0.04	15GBRC094	6726742	404819	108	136	-60	53	54	1	1.2
15GBRC093	6726739	404794	132	136	-60	94	95	1	0.1	15GBRC094	6726742	404819	108	136	-60	54	55	1	0.18
15GBRC093	6726739	404794	132	136	-60	95	96	1	0.03	15GBRC094	6726742	404819	108	136	-60	55	56	1	2.24
15GBRC093	6726739	404794	132	136	-60	96	97	1	0.03	15GBRC094	6726742	404819	108	136	-60	56	57	1	0.67
15GBRC093	6726739	404794	132	136	-60	97	98	1	0.21	15GBRC094	6726742	404819	108	136	-60	57	58	1	0.29
15GBRC093	6726739	404794	132	136	-60	98	99	1	0.16	15GBRC094	6726742	404819	108	136	-60	58	59	1	0.13
15GBRC093	6726739	404794	132	136	-60	99	100	1	0.12	15GBRC094	6726742	404819	108	136	-60	59	60	1	0.07
15GBRC093	6726739	404794	132	136	-60	100	101	1	0.05	15GBRC094	6726742	404819	108	136	-60	60	61	1	0.08
15GBRC093	6726739	404794	132	136	-60	101	102	1	0.29	15GBRC094	6726742	404819	108	136	-60	61	62	1	0.09
15GBRC093	6726739	404794	132	136	-60	102	103	1	0.51	15GBRC094	6726742	404819	108	136	-60	62	63	1	0.02
15GBRC093	6726739	404794	132	136	-60	103	104	1	0.43	15GBRC094	6726742	404819	108	136	-60	63	64	1	0.01
15GBRC093	6726739	404794	132	136	-60	104	105	1	0.14	15GBRC094	6726742	404819	108	136	-60	64	65	1	0.02
15GBRC093	6726739	404794	132	136	-60	105	106	1	0.66	15GBRC094	6726742	404819	108	136	-60	65	66	1	0.04
15GBRC093	6726739	404794	132	136	-60	106	107	1	1.92	15GBRC094	6726742	404819	108	136	-60	66	67	1	0.09
15GBRC093	6726739	404794	132	136	-60	107	108	1	1.42	15GBRC094	6726742	404819	108	136	-60	67	68	1	0.05
15GBRC093	6726739	404794	132	136	-60	108	109	1	2.48	15GBRC094	6726742	404819	108	136	-60	68	69	1	0.08
15GBRC093	6726739	404794	132	136	-60	109	110	1	3.93	15GBRC094	6726742	404819	108	136	-60	69	70	1	0.05
15GBRC093	6726739	404794	132	136	-60	110	111	1	6.8	15GBRC094	6726742	404819	108	136	-60	70	71	1	1.44
15GBRC093	6726739	404794	132	136	-60	111	112	1	2.79	15GBRC094	6726742	404819	108	136	-60	71	72	1	2.01
15GBRC093	6726739	404794	132	136	-60	112	113	1	2.58	15GBRC094	6726742	404819	108	136	-60	72	73	1	0.76
15GBRC093	6726739	404794	132	136	-60	113	114	1	2.36	15GBRC094	6726742	404819	108	136	-60	73	74	1	0.03
15GBRC093	6726739	404794	132	136	-60	114	115	1	1.12	15GBRC094	6726742	404819	108	136	-60	74	75	1	0.005
15GBRC093	6726739	404794	132	136	-60	115	116	1	0.22	15GBRC094	6726742	404819	108	136	-60	75	76	1	0.02
15GBRC093	6726739	404794	132	136	-60	116	117	1	0.14	15GBRC094	6726742	404819	108	136	-60	76	77	1	0.01
15GBRC093	6726739	404794	132	136	-60	117	118	1	0.08	15GBRC094	6726742	404819	108	136	-60	77	78	1	0.02
15GBRC093	6726739	404794	132	136	-60	118	119	1	0.09	15GBRC094	6726742	404819	108	136	-60	78	79	1	0.36
15GBRC093	6726739	404794	132	136	-60	119	120	1	0.09	15GBRC094	6726742	404819	108	136	-60	79	80	1	0.22
15GBRC093	6726739	404794	132	136	-60	120	121	1	0.08	15GBRC094	6726742	404819	108	136	-60	80	81	1	0.2
15GBRC093	6726739	404794	132	136	-60	121	122	1	0.07	15GBRC094	6726742	404819	108	136	-60	81	82	1	0.01
15GBRC093	6726739	404794	132	136	-60	122	123	1	0.07	15GBRC094	6726742	404819	108	136	-60	82	83	1	0.005
15GBRC093	6726739	404794	132	136	-60	123	124	1	0.06	15GBRC094	6726742	404819	108	136	-60	83	84	1	0.04
15GBRC093	6726739	404794	132	136	-60	124	125	1	0.04	15GBRC094	6726742	404819	108	136	-60	84	85	1	0.03
15GBRC093	6726739	404794	132	136	-60	125	126	1	0.05	15GBRC094	6726742	404819	108	136	-60	85	86	1	0.02
15GBRC093	6726739	404794	132	136	-60	126	127	1	0.1	15GBRC094	6726742	404819	108	136	-60	86	87	1	0.03
15GBRC093	6726739	404794	132	136	-60	127	128	1	0.06	15GBRC094	6726742	404819	108	136	-60	87	88	1	0.1
15GBRC093	6726739	404794	132	136	-60	128	129	1	0.06	15GBRC094	6726742	404819	108	136	-60	88	89	1	0.07
15GBRC093	6726739	404794	132	136	-60	129	130	1	0.05	15GBRC094	6726742	404819	108	136	-60	89	90	1	0.02
15GBRC093	6726739	404794	132	136	-60	130	131	1	0.07	15GBRC094	6726742	404819	108	136	-60	90	91	1	0.03

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC094	6726742	404819	108	136	-60	100	101	1	0.06	15GBRC095	6726737	404842	138	136	-60	84	85	1	0.97
15GBRC094	6726742	404819	108	136	-60	101	102	1	0.09	15GBRC095	6726737	404842	138	136	-60	85	86	1	0.33
15GBRC094	6726742	404819	108	136	-60	102	103	1	0.27	15GBRC095	6726737	404842	138	136	-60	86	87	1	0.02
15GBRC094	6726742	404819	108	136	-60	103	104	1	1.33	15GBRC095	6726737	404842	138	136	-60	87	88	1	0.005
15GBRC094	6726742	404819	108	136	-60	104	105	1	0.22	15GBRC095	6726737	404842	138	136	-60	88	89	1	0.005
15GBRC094	6726742	404819	108	136	-60	105	106	1	0.22	15GBRC095	6726737	404842	138	136	-60	89	90	1	0.14
15GBRC094	6726742	404819	108	136	-60	106	107	1	0.74	15GBRC095	6726737	404842	138	136	-60	90	91	1	3.57
15GBRC094	6726742	404819	108	136	-60	107	108	1	0.15	15GBRC095	6726737	404842	138	136	-60	91	92	1	1.99
15GBRC095	6726737	404842	138	136	-60	0	4	4	0.02	15GBRC095	6726737	404842	138	136	-60	92	93	1	0.32
15GBRC095	6726737	404842	138	136	-60	4	8	4	0.01	15GBRC095	6726737	404842	138	136	-60	93	94	1	0.69
15GBRC095	6726737	404842	138	136	-60	8	12	4	0.005	15GBRC095	6726737	404842	138	136	-60	94	95	1	0.17
15GBRC095	6726737	404842	138	136	-60	12	16	4	0.01	15GBRC095	6726737	404842	138	136	-60	95	96	1	1.15
15GBRC095	6726737	404842	138	136	-60	16	20	4	0.02	15GBRC095	6726737	404842	138	136	-60	96	97	1	0.83
15GBRC095	6726737	404842	138	136	-60	20	24	4	0.005	15GBRC095	6726737	404842	138	136	-60	97	98	1	0.31
15GBRC095	6726737	404842	138	136	-60	24	25	1	0.005	15GBRC095	6726737	404842	138	136	-60	98	99	1	0.28
15GBRC095	6726737	404842	138	136	-60	25	26	1	0.005	15GBRC095	6726737	404842	138	136	-60	99	100	1	0.05
15GBRC095	6726737	404842	138	136	-60	26	27	1	0.005	15GBRC095	6726737	404842	138	136	-60	100	101	1	0.1
15GBRC095	6726737	404842	138	136	-60	27	28	1	0.02	15GBRC095	6726737	404842	138	136	-60	101	102	1	0.4
15GBRC095	6726737	404842	138	136	-60	28	29	1	0.06	15GBRC095	6726737	404842	138	136	-60	102	103	1	0.38
15GBRC095	6726737	404842	138	136	-60	29	30	1	0.13	15GBRC095	6726737	404842	138	136	-60	103	104	1	0.26
15GBRC095	6726737	404842	138	136	-60	30	31	1	0.7	15GBRC095	6726737	404842	138	136	-60	104	105	1	0.58
15GBRC095	6726737	404842	138	136	-60	31	32	1	0.44	15GBRC095	6726737	404842	138	136	-60	105	106	1	1.04
15GBRC095	6726737	404842	138	136	-60	32	33	1	0.27	15GBRC095	6726737	404842	138	136	-60	106	107	1	0.34
15GBRC095	6726737	404842	138	136	-60	33	34	1	0.18	15GBRC095	6726737	404842	138	136	-60	107	108	1	0.2
15GBRC095	6726737	404842	138	136	-60	34	35	1	0.17	15GBRC095	6726737	404842	138	136	-60	108	109	1	0.07
15GBRC095	6726737	404842	138	136	-60	35	36	1	0.18	15GBRC095	6726737	404842	138	136	-60	109	110	1	0.06
15GBRC095	6726737	404842	138	136	-60	36	37	1	0.15	15GBRC095	6726737	404842	138	136	-60	110	111	1	0.06
15GBRC095	6726737	404842	138	136	-60	37	38	1	0.11	15GBRC095	6726737	404842	138	136	-60	111	112	1	0.05
15GBRC095	6726737	404842	138	136	-60	38	39	1	0.13	15GBRC095	6726737	404842	138	136	-60	112	113	1	0.07
15GBRC095	6726737	404842	138	136	-60	39	40	1	0.18	15GBRC095	6726737	404842	138	136	-60	113	114	1	0.46
15GBRC095	6726737	404842	138	136	-60	40	41	1	0.59	15GBRC095	6726737	404842	138	136	-60	114	115	1	0.02
15GBRC095	6726737	404842	138	136	-60	41	42	1	0.92	15GBRC095	6726737	404842	138	136	-60	115	116	1	0.03
15GBRC095	6726737	404842	138	136	-60	42	43	1	0.02	15GBRC095	6726737	404842	138	136	-60	116	117	1	0.005
15GBRC095	6726737	404842	138	136	-60	43	44	1	0.09	15GBRC095	6726737	404842	138	136	-60	117	118	1	0.005
15GBRC095	6726737	404842	138	136	-60	44	45	1	1.55	15GBRC095	6726737	404842	138	136	-60	118	119	1	0.005
15GBRC095	6726737	404842	138	136	-60	45	46	1	8.9	15GBRC095	6726737	404842	138	136	-60	119	120	1	0.005
15GBRC095	6726737	404842	138	136	-60	46	47	1	2.23	15GBRC095	6726737	404842	138	136	-60	120	121	1	0.005
15GBRC095	6726737	404842	138	136	-60	47	48	1	0.14	15GBRC095	6726737	404842	138	136	-60	121	122	1	0.02
15GBRC095	6726737	404842	138	136	-60	48	49	1	0.04	15GBRC095	6726737	404842	138	136	-60	122	123	1	0.02
15GBRC095	6726737	404842	138	136	-60	49	50	1	0.06	15GBRC095	6726737	404842	138	136	-60	123	124	1	0.005
15GBRC095	6726737	404842	138	136	-60	50	51	1	0.04	15GBRC095	6726737	404842	138	136	-60	124	125	1	0.01
15GBRC095	6726737	404842	138	136	-60	51	52	1	0.02	15GBRC095	6726737	404842	138	136	-60	125	126	1	0.005
15GBRC095	6726737	404842	138	136	-60	52	53	1	0.04	15GBRC095	6726737	404842	138	136	-60	126	127	1	0.01
15GBRC095	6726737	404842	138	136	-60	53	54	1	0.05	15GBRC095	6726737	404842	138	136	-60	127	128	1	0.09
15GBRC095	6726737	404842	138	136	-60	54	55	1	0.03	15GBRC095	6726737	404842	138	136	-60	128	129	1	0.01
15GBRC095	6726737	404842	138	136	-60	55	56	1	0.06	15GBRC095	6726737	404842	138	136	-60	129	130	1	0.005
15GBRC095	6726737	404842	138	136	-60	56	57	1	0.16	15GBRC095	6726737	404842	138	136	-60	130	131	1	0.01
15GBRC095	6726737	404842	138	136	-60	57	58	1	0.61	15GBRC095	6726737	404842	138	136	-60	131	132	1	0.03
15GBRC095	6726737	404842	138	136	-60	58	59	1	0.66	15GBRC095	6726737	404842	138	136	-60	132	133	1	0.02
15GBRC095	6726737	404842	138	136	-60	59	60	1	0.37	15GBRC095	6726737	404842	138	136	-60	133	134	1	0.02
15GBRC095	6726737	404842	138	136	-60	60	61	1	0.1	15GBRC095	6726737	404842	138	136	-60	134	135	1	0.005
15GBRC095	6726737	404842	138	136	-60	61	62	1	0.17	15GBRC095	6726737	404842	138	136	-60	135	136	1	0.01
15GBRC095	6726737	404842	138	136	-60	62	63	1	0.07	15GBRC095	6726737	404842	138	136	-60	136	137	1	0.005
15GBRC095	6726737	404842	138	136	-60	63	64	1	0.02	15GBRC095	6726737	404842	138	136	-60	137	138	1	0.005
15GBRC095	6726737	404842	138	136	-60	64	65	1	0.07	15GBRC096	6726760	404860	120	136	-60	0	4	4	0.05
15GBRC095	6726737	404842	138	136	-60	65	66	1	0.01	15GBRC096	6726760	404860	120	136	-60	4	8	4	0.005
15GBRC095	6726737	404842	138	136	-60	66	67	1	0.11	15GBRC096	6726760	404860	120	136	-60	8	12	4	0.005
15GBRC095	6726737	404842	138	136	-60	67	68	1	2.48	15GBRC096	6726760	404860	120	136	-60	12	16	4	0.005
15GBRC095	6726737	404842	138	136	-60	68	69	1	0.58	15GBRC096	6726760	404860	120	136	-60	16	20	4	0.005
15GBRC095	6726737	404842	138	136	-60	69	70	1	6.6	15GBRC096	6726760	404860	120	136	-60	20	24	4	0.005
15GBRC095	6726737	404842	138	136	-60	70	71	1	7.47	15GBRC096	6726760	404860	120	136	-60	24	25	1	0.005
15GBRC095	6726737	404842	138	136	-60	71	72	1	1.31	15GBRC096	6726760	404860	120	136	-60	25	26	1	0.02
15GBRC095	6726737	404842	138	136	-60	72	73	1	0.22	15GBRC096	6726760	404860	120	136	-60	26	27	1	0.005
15GBRC095	6726737	404842	138	136	-60	73	74	1	0.1	15GBRC096	6726760	404860	120	136	-60	27	28	1	0.005
15GBRC095	6726737	404842	138	136	-60	74	75	1	0.1	15GBRC096	6726760	404860	120	136	-60	28	29	1	0.005

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC096	6726760	404860	120	136	-60	38	39	1	0.01	15GBRC096	6726760	404860	120	136	-60	113	114	1	0.19
15GBRC096	6726760	404860	120	136	-60	39	40	1	0.005	15GBRC096	6726760	404860	120	136	-60	114	115	1	0.14
15GBRC096	6726760	404860	120	136	-60	40	41	1	0.005	15GBRC096	6726760	404860	120	136	-60	115	116	1	0.22
15GBRC096	6726760	404860	120	136	-60	41	42	1	0.005	15GBRC096	6726760	404860	120	136	-60	116	117	1	0.32
15GBRC096	6726760	404860	120	136	-60	42	43	1	0.06	15GBRC096	6726760	404860	120	136	-60	117	118	1	0.08
15GBRC096	6726760	404860	120	136	-60	43	44	1	0.02	15GBRC096	6726760	404860	120	136	-60	118	119	1	0.24
15GBRC096	6726760	404860	120	136	-60	44	45	1	0.05	15GBRC096	6726760	404860	120	136	-60	119	120	1	0.6
15GBRC096	6726760	404860	120	136	-60	45	46	1	0.19	15GBRC097	6726752	404883	120	136	-60	0	4	4	0.04
15GBRC096	6726760	404860	120	136	-60	46	47	1	0.07	15GBRC097	6726752	404883	120	136	-60	4	8	4	0.02
15GBRC096	6726760	404860	120	136	-60	47	48	1	0.05	15GBRC097	6726752	404883	120	136	-60	8	12	4	0.005
15GBRC096	6726760	404860	120	136	-60	48	49	1	0.29	15GBRC097	6726752	404883	120	136	-60	12	16	4	0.005
15GBRC096	6726760	404860	120	136	-60	49	50	1	0.07	15GBRC097	6726752	404883	120	136	-60	16	20	4	0.005
15GBRC096	6726760	404860	120	136	-60	50	51	1	0.05	15GBRC097	6726752	404883	120	136	-60	20	24	4	0.005
15GBRC096	6726760	404860	120	136	-60	51	52	1	0.02	15GBRC097	6726752	404883	120	136	-60	24	25	1	0.005
15GBRC096	6726760	404860	120	136	-60	52	53	1	0.07	15GBRC097	6726752	404883	120	136	-60	25	26	1	0.005
15GBRC096	6726760	404860	120	136	-60	53	54	1	0.06	15GBRC097	6726752	404883	120	136	-60	26	27	1	0.005
15GBRC096	6726760	404860	120	136	-60	54	55	1	0.11	15GBRC097	6726752	404883	120	136	-60	27	28	1	0.005
15GBRC096	6726760	404860	120	136	-60	55	56	1	0.1	15GBRC097	6726752	404883	120	136	-60	28	29	1	0.005
15GBRC096	6726760	404860	120	136	-60	56	57	1	0.08	15GBRC097	6726752	404883	120	136	-60	29	30	1	0.02
15GBRC096	6726760	404860	120	136	-60	57	58	1	0.04	15GBRC097	6726752	404883	120	136	-60	30	31	1	0.03
15GBRC096	6726760	404860	120	136	-60	58	59	1	0.49	15GBRC097	6726752	404883	120	136	-60	31	32	1	0.17
15GBRC096	6726760	404860	120	136	-60	59	60	1	0.33	15GBRC097	6726752	404883	120	136	-60	32	33	1	0.38
15GBRC096	6726760	404860	120	136	-60	60	61	1	0.18	15GBRC097	6726752	404883	120	136	-60	33	34	1	0.28
15GBRC096	6726760	404860	120	136	-60	61	62	1	0.43	15GBRC097	6726752	404883	120	136	-60	34	35	1	0.16
15GBRC096	6726760	404860	120	136	-60	62	63	1	0.3	15GBRC097	6726752	404883	120	136	-60	35	36	1	0.09
15GBRC096	6726760	404860	120	136	-60	63	64	1	0.12	15GBRC097	6726752	404883	120	136	-60	36	37	1	0.07
15GBRC096	6726760	404860	120	136	-60	64	65	1	0.12	15GBRC097	6726752	404883	120	136	-60	37	38	1	0.12
15GBRC096	6726760	404860	120	136	-60	65	66	1	0.07	15GBRC097	6726752	404883	120	136	-60	38	39	1	NULL
15GBRC096	6726760	404860	120	136	-60	66	67	1	0.06	15GBRC097	6726752	404883	120	136	-60	39	40	1	0.06
15GBRC096	6726760	404860	120	136	-60	67	68	1	6.44	15GBRC097	6726752	404883	120	136	-60	40	41	1	0.12
15GBRC096	6726760	404860	120	136	-60	68	69	1	2.3	15GBRC097	6726752	404883	120	136	-60	41	42	1	0.28
15GBRC096	6726760	404860	120	136	-60	69	70	1	1.5	15GBRC097	6726752	404883	120	136	-60	42	43	1	0.02
15GBRC096	6726760	404860	120	136	-60	70	71	1	0.34	15GBRC097	6726752	404883	120	136	-60	43	44	1	1.28
15GBRC096	6726760	404860	120	136	-60	71	72	1	0.08	15GBRC097	6726752	404883	120	136	-60	44	45	1	0.13
15GBRC096	6726760	404860	120	136	-60	72	73	1	0.04	15GBRC097	6726752	404883	120	136	-60	45	46	1	0.6
15GBRC096	6726760	404860	120	136	-60	73	74	1	0.08	15GBRC097	6726752	404883	120	136	-60	46	47	1	0.23
15GBRC096	6726760	404860	120	136	-60	74	75	1	0.01	15GBRC097	6726752	404883	120	136	-60	47	48	1	0.32
15GBRC096	6726760	404860	120	136	-60	75	76	1	0.005	15GBRC097	6726752	404883	120	136	-60	48	49	1	0.1
15GBRC096	6726760	404860	120	136	-60	76	77	1	0.005	15GBRC097	6726752	404883	120	136	-60	49	50	1	0.94
15GBRC096	6726760	404860	120	136	-60	77	78	1	0.005	15GBRC097	6726752	404883	120	136	-60	50	51	1	0.21
15GBRC096	6726760	404860	120	136	-60	78	79	1	3	15GBRC097	6726752	404883	120	136	-60	51	52	1	0.15
15GBRC096	6726760	404860	120	136	-60	79	80	1	0.99	15GBRC097	6726752	404883	120	136	-60	52	53	1	10.02
15GBRC096	6726760	404860	120	136	-60	80	81	1	0.1	15GBRC097	6726752	404883	120	136	-60	53	54	1	1.01
15GBRC096	6726760	404860	120	136	-60	81	82	1	0.04	15GBRC097	6726752	404883	120	136	-60	54	55	1	0.24
15GBRC096	6726760	404860	120	136	-60	82	83	1	0.04	15GBRC097	6726752	404883	120	136	-60	55	56	1	0.8
15GBRC096	6726760	404860	120	136	-60	83	84	1	0.03	15GBRC097	6726752	404883	120	136	-60	56	57	1	0.39
15GBRC096	6726760	404860	120	136	-60	84	85	1	0.06	15GBRC097	6726752	404883	120	136	-60	57	58	1	0.05
15GBRC096	6726760	404860	120	136	-60	85	86	1	0.03	15GBRC097	6726752	404883	120	136	-60	58	59	1	0.1
15GBRC096	6726760	404860	120	136	-60	86	87	1	0.37	15GBRC097	6726752	404883	120	136	-60	59	60	1	0.04
15GBRC096	6726760	404860	120	136	-60	87	88	1	0.04	15GBRC097	6726752	404883	120	136	-60	61	62	1	0.13
15GBRC096	6726760	404860	120	136	-60	88	89	1	0.06	15GBRC097	6726752	404883	120	136	-60	62	63	1	0.05
15GBRC096	6726760	404860	120	136	-60	89	90	1	0.22	15GBRC097	6726752	404883	120	136	-60	63	64	1	0.05
15GBRC096	6726760	404860	120	136	-60	90	91	1	0.06	15GBRC097	6726752	404883	120	136	-60	64	65	1	0.02
15GBRC096	6726760	404860	120	136	-60	91	92	1	0.09	15GBRC097	6726752	404883	120	136	-60	65	66	1	0.04
15GBRC096	6726760	404860	120	136	-60	92	93	1	0.28	15GBRC097	6726752	404883	120	136	-60	66	67	1	0.09
15GBRC096	6726760	404860	120	136	-60	93	94	1	0.14	15GBRC097	6726752	404883	120	136	-60	67	68	1	0.05
15GBRC096	6726760	404860	120	136	-60	94	95	1	0.04	15GBRC097	6726752	404883	120	136	-60	68	69	1	0.02
15GBRC096	6726760	404860	120	136	-60	95	96	1	0.09	15GBRC097	6726752	404883	120	136	-60	69	70	1	0.04
15GBRC096	6726760	404860	120	136	-60	96	97	1	0.74	15GBRC097	6726752	404883	120	136	-60	70	71	1	0.04
15GBRC096	6726760	404860	120	136	-60	97	98	1	0.65	15GBRC097	6726752	404883	120	136	-60	71	72	1	0.04
15GBRC096	6726760	404860	120	136	-60	98	99	1	2.45	15GBRC097	6726752	404883	120	136	-60	72	73	1	0.19
15GBRC096	6726760	404860	120	136	-60	99	100	1	2.07	15GBRC097	6726752	404883	120	136	-60	73	74	1	0.11
15GBRC096	6726760	404860	120	136	-60	100	101	1	0.2	15GBRC097	6726752	404883	120	136	-60	74	75	1	0.15
15GBRC096	6726760	404860	120	136	-60	101	102	1	0.02	15GBRC097	6726752	404883	120	136	-60	75	76	1	0.06
15GBRC096	6726760	404860	120	136	-60	103	104	1	0.39	15GBRC097	6726752	404883	120	136	-60	76	77	1	0.15

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC097	6726752	404883	120	136	-60	86	87	1	0.13	15GBRC098	6726972	405141	72	136	-60	55	56	1	0.46
15GBRC097	6726752	404883	120	136	-60	87	88	1	0.18	15GBRC098	6726972	405141	72	136	-60	56	57	1	0.56
15GBRC097	6726752	404883	120	136	-60	88	89	1	0.12	15GBRC098	6726972	405141	72	136	-60	57	58	1	2.1
15GBRC097	6726752	404883	120	136	-60	89	90	1	0.05	15GBRC098	6726972	405141	72	136	-60	58	59	1	2.16
15GBRC097	6726752	404883	120	136	-60	90	91	1	0.03	15GBRC098	6726972	405141	72	136	-60	59	60	1	1.44
15GBRC097	6726752	404883	120	136	-60	91	92	1	0.02	15GBRC098	6726972	405141	72	136	-60	55	56	1	0.46
15GBRC097	6726752	404883	120	136	-60	92	93	1	0.02	15GBRC098	6726972	405141	72	136	-60	56	57	1	0.56
15GBRC097	6726752	404883	120	136	-60	93	94	1	0.02	15GBRC098	6726972	405141	72	136	-60	57	58	1	2.1
15GBRC097	6726752	404883	120	136	-60	94	95	1	0.005	15GBRC098	6726972	405141	72	136	-60	58	59	1	2.16
15GBRC097	6726752	404883	120	136	-60	95	96	1	0.005	15GBRC098	6726972	405141	72	136	-60	59	60	1	1.44
15GBRC097	6726752	404883	120	136	-60	96	97	1	0.07	15GBRC098	6726972	405141	72	136	-60	60	61	1	0.66
15GBRC097	6726752	404883	120	136	-60	97	98	1	0.06	15GBRC098	6726972	405141	72	136	-60	61	62	1	1.56
15GBRC097	6726752	404883	120	136	-60	98	99	1	0.05	15GBRC098	6726972	405141	72	136	-60	62	63	1	0.37
15GBRC097	6726752	404883	120	136	-60	99	100	1	0.02	15GBRC098	6726972	405141	72	136	-60	63	64	1	0.24
15GBRC097	6726752	404883	120	136	-60	100	101	1	0.02	15GBRC098	6726972	405141	72	136	-60	64	65	1	0.29
15GBRC097	6726752	404883	120	136	-60	101	102	1	0.02	15GBRC098	6726972	405141	72	136	-60	65	66	1	0.15
15GBRC097	6726752	404883	120	136	-60	102	103	1	0.04	15GBRC098	6726972	405141	72	136	-60	66	67	1	0.45
15GBRC097	6726752	404883	120	136	-60	103	104	1	0.05	15GBRC098	6726972	405141	72	136	-60	67	68	1	0.54
15GBRC097	6726752	404883	120	136	-60	104	105	1	0.1	15GBRC098	6726972	405141	72	136	-60	68	69	1	0.63
15GBRC097	6726752	404883	120	136	-60	105	106	1	0.07	15GBRC098	6726972	405141	72	136	-60	69	70	1	0.73
15GBRC097	6726752	404883	120	136	-60	106	107	1	0.13	15GBRC098	6726972	405141	72	136	-60	70	71	1	0.11
15GBRC097	6726752	404883	120	136	-60	107	108	1	0.42	15GBRC098	6726972	405141	72	136	-60	71	72	1	0.05
15GBRC097	6726752	404883	120	136	-60	108	109	1	0.2	15GBRC099	6726884	405076	102	136	-60	0	4	4	0.08
15GBRC097	6726752	404883	120	136	-60	109	110	1	0.005	15GBRC099	6726884	405076	102	136	-60	4	8	4	0.005
15GBRC097	6726752	404883	120	136	-60	110	111	1	0.02	15GBRC099	6726884	405076	102	136	-60	8	12	4	0.005
15GBRC097	6726752	404883	120	136	-60	111	112	1	0.11	15GBRC099	6726884	405076	102	136	-60	12	16	4	0.005
15GBRC097	6726752	404883	120	136	-60	112	113	1	0.04	15GBRC099	6726884	405076	102	136	-60	16	20	4	0.005
15GBRC097	6726752	404883	120	136	-60	113	114	1	0.03	15GBRC099	6726884	405076	102	136	-60	20	21	1	0.005
15GBRC097	6726752	404883	120	136	-60	114	115	1	0.005	15GBRC099	6726884	405076	102	136	-60	21	22	1	0.005
15GBRC097	6726752	404883	120	136	-60	115	116	1	0.04	15GBRC099	6726884	405076	102	136	-60	22	23	1	0.005
15GBRC097	6726752	404883	120	136	-60	116	117	1	0.02	15GBRC099	6726884	405076	102	136	-60	23	24	1	0.005
15GBRC097	6726752	404883	120	136	-60	117	118	1	0.03	15GBRC099	6726884	405076	102	136	-60	24	25	1	0.005
15GBRC097	6726752	404883	120	136	-60	118	119	1	0.03	15GBRC099	6726884	405076	102	136	-60	25	26	1	0.005
15GBRC097	6726752	404883	120	136	-60	119	120	1	0.13	15GBRC099	6726884	405076	102	136	-60	26	27	1	0.005
15GBRC098	6726972	405141	72	136	-60	0	4	4	0.02	15GBRC099	6726884	405076	102	136	-60	27	28	1	0.43
15GBRC098	6726972	405141	72	136	-60	4	8	4	0.005	15GBRC099	6726884	405076	102	136	-60	28	29	1	0.04
15GBRC098	6726972	405141	72	136	-60	8	12	4	0.005	15GBRC099	6726884	405076	102	136	-60	29	30	1	0.03
15GBRC098	6726972	405141	72	136	-60	12	16	4	0.005	15GBRC099	6726884	405076	102	136	-60	30	31	1	0.005
15GBRC098	6726972	405141	72	136	-60	16	20	4	0.005	15GBRC099	6726884	405076	102	136	-60	31	32	1	0.02
15GBRC098	6726972	405141	72	136	-60	20	21	1	0.005	15GBRC099	6726884	405076	102	136	-60	32	33	1	0.005
15GBRC098	6726972	405141	72	136	-60	21	22	1	0.005	15GBRC099	6726884	405076	102	136	-60	33	34	1	0.005
15GBRC098	6726972	405141	72	136	-60	22	23	1	0.005	15GBRC099	6726884	405076	102	136	-60	34	35	1	0.005
15GBRC098	6726972	405141	72	136	-60	23	24	1	0.005	15GBRC099	6726884	405076	102	136	-60	35	36	1	0.005
15GBRC098	6726972	405141	72	136	-60	24	25	1	0.005	15GBRC099	6726884	405076	102	136	-60	36	37	1	0.05
15GBRC098	6726972	405141	72	136	-60	25	26	1	0.005	15GBRC099	6726884	405076	102	136	-60	37	38	1	0.02
15GBRC098	6726972	405141	72	136	-60	26	27	1	0.005	15GBRC099	6726884	405076	102	136	-60	38	39	1	0.005
15GBRC098	6726972	405141	72	136	-60	27	28	1	0.005	15GBRC099	6726884	405076	102	136	-60	39	40	1	0.005
15GBRC098	6726972	405141	72	136	-60	28	29	1	0.07	15GBRC099	6726884	405076	102	136	-60	40	41	1	0.005
15GBRC098	6726972	405141	72	136	-60	29	30	1	0.16	15GBRC099	6726884	405076	102	136	-60	41	42	1	0.005
15GBRC098	6726972	405141	72	136	-60	30	31	1	0.005	15GBRC099	6726884	405076	102	136	-60	42	43	1	0.02
15GBRC098	6726972	405141	72	136	-60	31	32	1	0.04	15GBRC099	6726884	405076	102	136	-60	43	44	1	0.02
15GBRC098	6726972	405141	72	136	-60	32	33	1	0.07	15GBRC099	6726884	405076	102	136	-60	44	45	1	0.005
15GBRC098	6726972	405141	72	136	-60	33	34	1	0.08	15GBRC099	6726884	405076	102	136	-60	45	46	1	0.06
15GBRC098	6726972	405141	72	136	-60	34	35	1	0.03	15GBRC099	6726884	405076	102	136	-60	46	47	1	0.81
15GBRC098	6726972	405141	72	136	-60	35	36	1	0.3	15GBRC099	6726884	405076	102	136	-60	47	48	1	1.16
15GBRC098	6726972	405141	72	136	-60	36	37	1	0.21	15GBRC099	6726884	405076	102	136	-60	48	49	1	0.13
15GBRC098	6726972	405141	72	136	-60	37	38	1	0.37	15GBRC099	6726884	405076	102	136	-60	49	50	1	0.07
15GBRC098	6726972	405141	72	136	-60	38	39	1	0.36	15GBRC099	6726884	405076	102	136	-60	50	51	1	0.06
15GBRC098	6726972	405141	72	136	-60	39	40	1	0.44	15GBRC099	6726884	405076	102	136	-60	51	52	1	0.16
15GBRC098	6726972	405141	72	136	-60	40	41	1	0.37	15GBRC099	6726884	405076	102	136	-60	52	53	1	0.04
15GBRC098	6726972	405141	72	136	-60	41	42	1	0.13	15GBRC099	6726884	405076	102	136	-60	53	54	1	0.02
15GBRC098	6726972	405141	72	136	-60	42	43	1	0.08	15GBRC099	6726884	405076	102	136	-60	54	55	1	0.24
15GBRC098	6726972	405141	72	136	-60	43	44	1	0.11	15GBRC099	6726884	405076	102	136	-60	55	56	1	0.13
15GBRC098	6726972	405141	72	136	-60	44	45	1	0.09	15GBRC099	6726884	405076	102	136	-60	56	57	1	0.04
15GBRC098	6726972	405141	72	136	-60	45	46	1	0.6	15GBRC099	6726884	405076	102	136	-60	57	58	1	0.07

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t	Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC099	6726884	405076	102	136	-60	67	68	1	0.53	15GBRC100	6726879	405038	102	136	-60	54	55	1	0.005
15GBRC099	6726884	405076	102	136	-60	68	69	1	0.32	15GBRC100	6726879	405038	102	136	-60	55	56	1	0.005
15GBRC099	6726884	405076	102	136	-60	69	70	1	0.28	15GBRC100	6726879	405038	102	136	-60	56	57	1	0.005
15GBRC099	6726884	405076	102	136	-60	70	71	1	0.34	15GBRC100	6726879	405038	102	136	-60	57	58	1	0.005
15GBRC099	6726884	405076	102	136	-60	71	72	1	0.59	15GBRC100	6726879	405038	102	136	-60	58	59	1	0.03
15GBRC099	6726884	405076	102	136	-60	72	73	1	0.45	15GBRC100	6726879	405038	102	136	-60	59	60	1	0.03
15GBRC099	6726884	405076	102	136	-60	73	74	1	0.64	15GBRC100	6726879	405038	102	136	-60	60	61	1	0.005
15GBRC099	6726884	405076	102	136	-60	74	75	1	0.17	15GBRC100	6726879	405038	102	136	-60	61	62	1	0.005
15GBRC099	6726884	405076	102	136	-60	75	76	1	0.4	15GBRC100	6726879	405038	102	136	-60	62	63	1	0.005
15GBRC099	6726884	405076	102	136	-60	76	77	1	0.12	15GBRC100	6726879	405038	102	136	-60	63	64	1	0.005
15GBRC099	6726884	405076	102	136	-60	77	78	1	0.09	15GBRC100	6726879	405038	102	136	-60	64	65	1	0.005
15GBRC099	6726884	405076	102	136	-60	78	79	1	1.19	15GBRC100	6726879	405038	102	136	-60	65	66	1	0.1
15GBRC099	6726884	405076	102	136	-60	79	80	1	0.36	15GBRC100	6726879	405038	102	136	-60	66	67	1	0.06
15GBRC099	6726884	405076	102	136	-60	80	81	1	0.49	15GBRC100	6726879	405038	102	136	-60	67	68	1	0.23
15GBRC099	6726884	405076	102	136	-60	81	82	1	2.77	15GBRC100	6726879	405038	102	136	-60	68	69	1	0.36
15GBRC099	6726884	405076	102	136	-60	82	83	1	1.36	15GBRC100	6726879	405038	102	136	-60	69	70	1	0.28
15GBRC099	6726884	405076	102	136	-60	83	84	1	0.76	15GBRC100	6726879	405038	102	136	-60	70	71	1	0.49
15GBRC099	6726884	405076	102	136	-60	84	85	1	0.24	15GBRC100	6726879	405038	102	136	-60	71	72	1	0.16
15GBRC099	6726884	405076	102	136	-60	85	86	1	1.33	15GBRC100	6726879	405038	102	136	-60	72	73	1	0.1
15GBRC099	6726884	405076	102	136	-60	86	87	1	0.49	15GBRC100	6726879	405038	102	136	-60	73	74	1	0.09
15GBRC099	6726884	405076	102	136	-60	87	88	1	0.07	15GBRC100	6726879	405038	102	136	-60	74	75	1	0.22
15GBRC099	6726884	405076	102	136	-60	88	89	1	0.06	15GBRC100	6726879	405038	102	136	-60	75	76	1	0.03
15GBRC099	6726884	405076	102	136	-60	89	90	1	0.04	15GBRC100	6726879	405038	102	136	-60	76	77	1	0.02
15GBRC099	6726884	405076	102	136	-60	90	91	1	0.04	15GBRC100	6726879	405038	102	136	-60	77	78	1	0.02
15GBRC099	6726884	405076	102	136	-60	91	92	1	0.03	15GBRC100	6726879	405038	102	136	-60	78	79	1	0.02
15GBRC099	6726884	405076	102	136	-60	92	93	1	0.05	15GBRC100	6726879	405038	102	136	-60	79	80	1	0.04
15GBRC099	6726884	405076	102	136	-60	93	94	1	0.03	15GBRC100	6726879	405038	102	136	-60	80	81	1	0.07
15GBRC099	6726884	405076	102	136	-60	94	95	1	0.04	15GBRC100	6726879	405038	102	136	-60	81	82	1	0.08
15GBRC099	6726884	405076	102	136	-60	95	96	1	0.04	15GBRC100	6726879	405038	102	136	-60	82	83	1	0.09
15GBRC099	6726884	405076	102	136	-60	96	97	1	0.005	15GBRC100	6726879	405038	102	136	-60	83	84	1	0.09
15GBRC099	6726884	405076	102	136	-60	97	98	1	0.005	15GBRC100	6726879	405038	102	136	-60	84	85	1	1.17
15GBRC099	6726884	405076	102	136	-60	98	99	1	0.005	15GBRC100	6726879	405038	102	136	-60	85	86	1	2.73
15GBRC099	6726884	405076	102	136	-60	99	100	1	0.005	15GBRC100	6726879	405038	102	136	-60	86	87	1	1.03
15GBRC099	6726884	405076	102	136	-60	100	101	1	0.005	15GBRC100	6726879	405038	102	136	-60	87	88	1	0.26
15GBRC099	6726884	405076	102	136	-60	101	102	1	0.04	15GBRC100	6726879	405038	102	136	-60	88	89	1	0.24
15GBRC100	6726879	405038	102	136	-60	0	4	4	0.005	15GBRC100	6726879	405038	102	136	-60	89	90	1	0.98
15GBRC100	6726879	405038	102	136	-60	4	8	4	0.03	15GBRC100	6726879	405038	102	136	-60	90	91	1	0.45
15GBRC100	6726879	405038	102	136	-60	8	12	4	0.005	15GBRC100	6726879	405038	102	136	-60	91	92	1	0.55
15GBRC100	6726879	405038	102	136	-60	12	16	4	0.005	15GBRC100	6726879	405038	102	136	-60	92	93	1	0.91
15GBRC100	6726879	405038	102	136	-60	16	20	4	0.005	15GBRC100	6726879	405038	102	136	-60	93	94	1	1.37
15GBRC100	6726879	405038	102	136	-60	20	21	1	0.005	15GBRC100	6726879	405038	102	136	-60	94	95	1	0.5
15GBRC100	6726879	405038	102	136	-60	21	22	1	0.005	15GBRC100	6726879	405038	102	136	-60	95	96	1	0.33
15GBRC100	6726879	405038	102	136	-60	22	23	1	0.16	15GBRC100	6726879	405038	102	136	-60	96	97	1	0.18
15GBRC100	6726879	405038	102	136	-60	23	24	1	0.07	15GBRC100	6726879	405038	102	136	-60	97	98	1	0.41
15GBRC100	6726879	405038	102	136	-60	24	25	1	0.005	15GBRC100	6726879	405038	102	136	-60	98	99	1	0.37
15GBRC100	6726879	405038	102	136	-60	25	26	1	0.005	15GBRC100	6726879	405038	102	136	-60	99	100	1	0.27
15GBRC100	6726879	405038	102	136	-60	26	27	1	0.005	15GBRC100	6726879	405038	102	136	-60	100	101	1	0.34
15GBRC100	6726879	405038	102	136	-60	27	28	1	0.005	15GBRC100	6726879	405038	102	136	-60	101	102	1	0.22
15GBRC100	6726879	405038	102	136	-60	28	29	1	0.005	15GBRC101	6726787	404931	120	136	-60	0	4	4	0.02
15GBRC100	6726879	405038	102	136	-60	29	30	1	0.005	15GBRC101	6726787	404931	120	136	-60	4	8	4	0.005
15GBRC100	6726879	405038	102	136	-60	30	31	1	0.005	15GBRC101	6726787	404931	120	136	-60	8	12	4	0.005
15GBRC100	6726879	405038	102	136	-60	31	32	1	0.005	15GBRC101	6726787	404931	120	136	-60	12	16	4	0.005
15GBRC100	6726879	405038	102	136	-60	32	33	1	0.005	15GBRC101	6726787	404931	120	136	-60	16	20	4	0.005
15GBRC100	6726879	405038	102	136	-60	33	34	1	0.005	15GBRC101	6726787	404931	120	136	-60	20	24	4	0.005
15GBRC100	6726879	405038	102	136	-60	34	35	1	0.005	15GBRC101	6726787	404931	120	136	-60	24	25	1	0.005
15GBRC100	6726879	405038	102	136	-60	35	36	1	0.005	15GBRC101	6726787	404931	120	136	-60	25	26	1	0.005
15GBRC100	6726879	405038	102	136	-60	36	37	1	0.005	15GBRC101	6726787	404931	120	136	-60	26	27	1	0.22
15GBRC100	6726879	405038	102	136	-60	37	38	1	0.005	15GBRC101	6726787	404931	120	136	-60	27	28	1	0.1
15GBRC100	6726879	405038	102	136	-60	38	39	1	0.005	15GBRC101	6726787	404931	120	136	-60	28	29	1	0.13
15GBRC100	6726879	405038	102	136	-60	39	40	1	0.005	15GBRC101	6726787	404931	120	136	-60	29	30	1	0.27
15GBRC100	6726879	405038	102	136	-60	40	41	1	0.005	15GBRC101	6726787	404931	120	136	-60	30	31	1	0.09
15GBRC100	6726879	405038	102	136	-60	41	42	1	0.005	15GBRC101	6726787	404931	120	136	-60	31	32	1	0.01
15GBRC100	6726879	405038	102	136	-60	42	43	1	0.005	15GBRC101	6726787	404931	120	136	-60	32	33	1	0.12
15GBRC100	6726879	405038	102	136	-60	43	44	1	0.005	15GBRC101	6726787	404931	120	136	-60	33	34	1	0.12
15GBRC100	6726879	405038	102	136	-60	44	45	1	0.005	15GBRC101	6726787	404931	120	136	-60	34	35	1	0.05

TYRANNA RESOURCES

Hole ID	Northing	Easting	Total Depth	Azimuth	Dip	Depth From	Depth To	Length	Au g/t
15GBRC101	6726787	404931	120	136	-60	44	45	1	0.02
15GBRC101	6726787	404931	120	136	-60	45	46	1	0.005
15GBRC101	6726787	404931	120	136	-60	46	47	1	0.19
15GBRC101	6726787	404931	120	136	-60	47	48	1	0.005
15GBRC101	6726787	404931	120	136	-60	48	49	1	0.02
15GBRC101	6726787	404931	120	136	-60	49	50	1	0.02
15GBRC101	6726787	404931	120	136	-60	50	51	1	0.01
15GBRC101	6726787	404931	120	136	-60	51	52	1	0.13
15GBRC101	6726787	404931	120	136	-60	52	53	1	0.03
15GBRC101	6726787	404931	120	136	-60	53	54	1	0.01
15GBRC101	6726787	404931	120	136	-60	54	55	1	0.05
15GBRC101	6726787	404931	120	136	-60	55	56	1	0.07
15GBRC101	6726787	404931	120	136	-60	56	57	1	0.02
15GBRC101	6726787	404931	120	136	-60	57	58	1	0.02
15GBRC101	6726787	404931	120	136	-60	58	59	1	0.08
15GBRC101	6726787	404931	120	136	-60	59	60	1	0.43
15GBRC101	6726787	404931	120	136	-60	60	61	1	0.02
15GBRC101	6726787	404931	120	136	-60	61	62	1	0.09
15GBRC101	6726787	404931	120	136	-60	62	63	1	0.22
15GBRC101	6726787	404931	120	136	-60	63	64	1	0.05
15GBRC101	6726787	404931	120	136	-60	64	65	1	0.05
15GBRC101	6726787	404931	120	136	-60	65	66	1	0.03
15GBRC101	6726787	404931	120	136	-60	66	67	1	0.06
15GBRC101	6726787	404931	120	136	-60	67	68	1	0.32
15GBRC101	6726787	404931	120	136	-60	68	69	1	1.04
15GBRC101	6726787	404931	120	136	-60	69	70	1	0.13
15GBRC101	6726787	404931	120	136	-60	70	71	1	0.08
15GBRC101	6726787	404931	120	136	-60	71	72	1	0.48
15GBRC101	6726787	404931	120	136	-60	72	73	1	0.03
15GBRC101	6726787	404931	120	136	-60	73	74	1	0.01
15GBRC101	6726787	404931	120	136	-60	74	75	1	0.02
15GBRC101	6726787	404931	120	136	-60	75	76	1	0.005
15GBRC101	6726787	404931	120	136	-60	76	77	1	0.02
15GBRC101	6726787	404931	120	136	-60	77	78	1	0.06
15GBRC101	6726787	404931	120	136	-60	78	79	1	8.55
15GBRC101	6726787	404931	120	136	-60	79	80	1	0.09
15GBRC101	6726787	404931	120	136	-60	80	81	1	0.39
15GBRC101	6726787	404931	120	136	-60	81	82	1	0.08
15GBRC101	6726787	404931	120	136	-60	82	83	1	0.05
15GBRC101	6726787	404931	120	136	-60	83	84	1	0.16
15GBRC101	6726787	404931	120	136	-60	84	85	1	0.28
15GBRC101	6726787	404931	120	136	-60	85	86	1	0.04
15GBRC101	6726787	404931	120	136	-60	86	87	1	0.46
15GBRC101	6726787	404931	120	136	-60	87	88	1	0.57
15GBRC101	6726787	404931	120	136	-60	88	89	1	0.06
15GBRC101	6726787	404931	120	136	-60	89	90	1	0.06
15GBRC101	6726787	404931	120	136	-60	90	91	1	0.07
15GBRC101	6726787	404931	120	136	-60	91	92	1	0.56
15GBRC101	6726787	404931	120	136	-60	92	93	1	3.95
15GBRC101	6726787	404931	120	136	-60	93	94	1	0.89
15GBRC101	6726787	404931	120	136	-60	94	95	1	0.08
15GBRC101	6726787	404931	120	136	-60	95	96	1	0.04
15GBRC101	6726787	404931	120	136	-60	96	97	1	0.03
15GBRC101	6726787	404931	120	136	-60	97	98	1	0.05
15GBRC101	6726787	404931	120	136	-60	98	99	1	0.09
15GBRC101	6726787	404931	120	136	-60	99	100	1	0.03
15GBRC101	6726787	404931	120	136	-60	100	101	1	0.03
15GBRC101	6726787	404931	120	136	-60	101	102	1	0.04
15GBRC101	6726787	404931	120	136	-60	102	103	1	0.05
15GBRC101	6726787	404931	120	136	-60	103	104	1	0.04
15GBRC101	6726787	404931	120	136	-60	104	105	1	0.01
15GBRC101	6726787	404931	120	136	-60	105	106	1	0.02
15GBRC101	6726787	404931	120	136	-60	106	107	1	0.01
15GBRC101	6726787	404931	120	136	-60	107	108	1	0.005
15GBRC101	6726787	404931	120	136	-60	108	109	1	0.005

TYRANNA RESOURCES

Sampling Techniques and Data

Criteria	Comment
Sampling techniques	The results published are from inclined RC drillholes. Drill hole spacing is reduced to 10 and 15m. These holes are drilled at 136/-60 and are part of the second phase drilling at Golfbore to target the depth extension of the gold mineralisation.
	The drillhole location is picked up by handheld GPS. Sampling is carried out following industry standard and applying QA-QC procedures as per industry best practice.
	Holes were drilled to target gold mineralisation of an orogenic nature within highly deformed gneissic host rock. Au as well as As have historically been assayed as well as occassional Ag and Cu.
	Samples have been collected at 1m intervals throughout with compositing of the first 16-20m occuring at the lab.
Drilling techniques	Drillling was carried out using an RC rig.
Drill sample recovery	Drill chips are logged and sample recovery assessed on site by the geologist
	An effort was undertaken to ensure samples stayed dry. Dry samples were split using a rotary splitter.
	No bias has been observed between sample recovery and grade.
Logging	Geological logging included recording lithology, weathering, oxidation, colour, alteration, grain size, minerals and their habit and wetness.
	Logging is carried out on a routine basis recording lithology, weathering, oxidation, colour, alteration, grain size, minerals and their habit, wetness and magnetic susceptibility.
	All drill holes are logged from start to finish.
Sub-sampling techniques and sample preparation	No diamond drilling was undertaken during this drilling program.
	Sample method involves collecting drill cutting in pre-numbered calico bags from a rig mounted rotary cone splitter, while the remaining bulk material was collected to provide for further test work.
	Sample preparation and assaying was carried out by Intertek
	10% of despatched samples were for QA-QC in the form of standards, blanks and duplicates.
	All samples are collected as 1m splits from the rig and are composited at the lab so as to obtain as representative sample as possible.
	Sample sizes are considered to be appropriate.
Quality of assay data and laboratory tests	Assaying for gold was via fire assay with AAS finish - this is a total assay techinique for gold.
	No handheld tools were used.
	The standard used with the samples from the reported drill holes were focused on the gold mineralisation. However duplicate samples were collected and represent 5% of the submitted samples. The analysis of the duplicate samples show reproducibility of the assay results within the accepted industry norms.
Verification of sampling and assaying	Verification and confirmation has been undertaken by company personnel.
	No twin holes have been drilled yet
	Each sample bag was labelled with unique sample number assigned at point of sampling in field. Sample number is used to match assays from laboratory to in-house database containing drillhole coordinate data, geological log and sample description.
	No assay data has been adjusted.
Location of data points	Drill hole collar surveys and topographic surveys were carried out using a handheld GPS.
	The grid sytem is MGA94, zone 53
	Topographic control at Golf Bore is considered adequate.
Data spacing and distribution	The drillholes reported are spaced between 10-25m spacing and on lines 10-20m.
	Most drillholes are drilled perpendicular to the dip direction of the gold mineralisation.
	Samples compositing has been applied but occurs at the lab rather than at the rig.
Orientation of data in relation to geological structure	The orientation of sampling is appropriate to the orientation of the ore body, though at this stage it is not confirmed if the angle shows the exact true width.
	No bias is known of that this stage.
Sample security	Samples were stored on site and transported to the laboratory in Adelaide.
Audits or reviews	No audits or review has ben conducted yet.

TYRANNA RESOURCES

Appendix 2: Table 1

Reporting of Exploration Results	
Criteria	**Comment**
Mineral tenement and land tenure status	The Golf Bore prospect is located within EL4577 which is part of the Jumbuck project, owned 59% by Tyranna Resources and 41% by Kingsgate Consolidated
	The tenement is in good standing and no known impendiments exist.
Exploration done by other parties	The area has been a target for mineral exploration since the 1990's by multiple companies. All of the known work has been appraised by Tyranna Resources and has formed an important component in the work carried out so far by the company.
Geology	Golf Bore is considered to be geologically analogous to the Challenger gold deposit, which is an orogenic, structurally controlled gold deposit within highly deformed terrain. Gold is hosted within gneiss and is generally found in economic quantities along regional fold hinges.
Drill hole Information	Please see Table 1 In the main body of text
Data aggregation methods	The results consist of weighted average by sample length. A visual cut off at approximately 0.5g/t Au was used to identify the reported significant intercept(s)
	Weighted average technique by sample length was used to define the significant intercept in order to give a balance representation of the mineralisation.
	No metal equivalents are used.
Relationship between mineralisation widths and intercept lengths	The orebody is interpreted to dip steeply (70° to 75°) to the NW
	The drillholes are drilled perpendicular to the dip direction of the orebody.
	The down hole length of the intersections are reported and true width is not yet known
Diagrams	Results reported pertain to discoveries previously reported by Dominion Gold Operations and Southern Gold. Please see figures in main body of text for plan images.
Balanced reporting	Results reported in the body of text represent the significant intercepts of the gold mineralisation encountered by the second phase drilling by Tyranna Resources. A full account of the result for the holes reported is located in the appendix.
Other substantive exploration data	All relevant geological and geochemical data collected so far have been reported.
Further Work	Additional holes to target the depth extent of the gold mineralisation will be drilled in the very near future.
	Please see figures in main body of text.