

28 March 2017

**ASX Market Announcements** 

## DRILLING PROGRAM RESUMES AT POORAKA IN NSW

Ausmon Resources Limited (AOA:ASX) is pleased to announce that the drilling program at Pooraka EL 6413 and EL 7564 near Cobar in NSW has resumed.

On 21 March 2017 the Company advised that following heavy rain after the drilling of hole T1 the drilling of hole T2 had to be suspended until the ground has dried to safe condition.

- 1. Drilling of hole T1 was completed last week within budgeted costs and selected cuttings samples are awaiting to be transported to the laboratory for analysis; and
- 2. Drilling of hole T2 commences today and is expected to be completed by the end of this week subject to any unexpected events.

**Program**: The drilling program is located immediately to the north of the Mt Boppy mine which historically produced over 1 million oz of gold (Refer Figure 2). T1 and T2 were designed to investigate the source of time domain electromagnetic (TDEM) anomalies identified in EL 6413 and EL 7564 during the Company's 2015 exploration program. The TDEM anomalies are interpreted to be conductive zones possibly associated with sulphide mineralization (typically copper and lead) and gold mineralization. Both licences lie approximately 40 km east of the major mining town of Cobar in an area of historical and recent commercial gold workings. T2 hole will be air drilled to approximately 150 m and then diamond core drilled to 250 m.

## Targets:

- **T1**, Langbein Langbein West. Comprising a broad formational conductive zone identified by TDEM which includes a small discreet conductor (open to the east) proximal to where the Company's 2009 RC-percussion drilling encountered low grade mineralization in bedrock. This anomaly lies along strike from the Mt Boppy gold-sulphide mine (NSW's largest operational gold mine in 1908, located 6 km to the south). The drill hole was designed to perpendicularly intersect geological dip with a 60° plunge to the east to a total depth of approximately 150 m.
- **T2**, Mc Guiness Mc Guiness North. This target occurs near the surface expression of the Gilmore Suture, where TDEM previously identified a large, strong, discreet, north running 1,200 m X 800 m conductor. This drill hole will establish whether the conductivity is due to the presence, at depth, of sulphide mineralization. The drill hole is designed to perpendicularly intersect geological dip with a  $60^{\circ}$  plunge to the west to a depth of approximately 250m.



www.ausmonresources.com.au ASX code: AOA






Figure 1 - Pooraka ELs showing location of holes T1 and T2

## AUSMON RESOURCES LIMITED ABN 88 134 358 964

'World Tower" Suite 1312, 87-89 Liverpool Street, Sydney NSW 2000 Australia.

PO BOX 20188 World Square, NSW 2002 Australia








Figure 2 - Geology and Prospect Locations - Pooraka Project

## AUSMON RESOURCES LIMITED ABN 88 134 358 964

'World Tower" Suite 1312, 87-89 Liverpool Street, Sydney NSW 2000 Australia.

PO BOX 20188 World Square, NSW 2002 Australia





(The information in the report above that relates to Exploration Results is based on information compiled by Dr Pieter Moeskops, a member of The Australasian Institute of Mining and Metallurgy.

Dr Moeskops has sufficient experience that is relevant to the style of mineralization and type of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2004 and 2012 Editions of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Dr Moeskops consents to the inclusion in this report of matters based on his information in the form and context in which it appears.)

John Wang Managing Director/Secretary

