







# **Organic Growth Strategy Yielding Results**

**Corporate Update** 

September 2017

### **Cautionary Statements**



Certain statements contained in this document constitute "forward-looking information", "future oriented financial information" or "financial outlooks" (collectively, "forward looking information") within the meaning of applicable securities laws. Forward-looking information often relates to statements concerning Alacer's future outlook and anticipated events or results, and in some cases, can be identified by terminology such as "may," "will," "could," "should," "expect," "plan," "anticipate," "believe," "intend," "estimate," "projects," "predict," "potential," "continue" or other similar expressions concerning matters that are not historical facts.

Forward-looking information includes statements concerning, among other things, production, cost, and capital expenditure guidance; the results of any gold reconciliations; matters relating to proposed exploration; communications with local stakeholders; maintaining community and government relations; negotiations of joint ventures; negotiation and completion of transactions; commodity prices; mineral resources, mineral reserves, realization of mineral reserves, and the existence or realization of mineral resource estimates; the timing and amount of future production; the timing of studies, announcements, and analysis; the timing of construction and development of proposed mines and process facilities; capital and operating expenditures; economic conditions; availability of sufficient financing; exploration plans; receipt of regulatory approvals; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, regulatory, and political matters that may influence or be influenced by future events or conditions.

Such forward-looking information and statements are based on a number of material factors and assumptions, including, but not limited in any manner to, those disclosed in any of Alacer's other public filings, and include the inherent speculative nature of exploration results; the ability to explore; communications with local stakeholders; maintaining community and governmental relations; status of negotiations of joint ventures; weather conditions at Alacer's operations; commodity prices; the ultimate determination of and realization of mineral reserves; existence or realization of mineral resources; the development approach; availability and receipt of required approvals, titles, licenses and permits; sufficient working capital to develop and operate the mines and implement development plans; access to adequate services and supplies; foreign currency exchange rates; interest rates; access to capital markets and associated cost of funds; availability of a qualified work force; ability to negotiate, finalize, and execute relevant agreements; lack of social opposition to the mines or facilities; lack of legal challenges with respect to the property of Alacer; the timing and amount of future production; the ability to meet production, cost, and capital expenditure targets; timing and ability to produce studies and analyses; capital and operating expenditures; economic conditions; availability of sufficient financing; the ultimate ability to mine, process, and sell mineral products on economically favorable terms; and any and all other timing, exploration, development, operational, financial, budgetary, economic, legal, social, geopolitical, regulatory and political factors that may influence future events or conditions. While we consider these factors and assumptions to be reasonable based on information currently available to us, they may prove to be incorrect.

You should not place undue reliance on forward-looking information and statements. Forward-looking information and statements are only predictions based on our current expectations and our projections about future events. Actual results may vary from such forward-looking information for a variety of reasons including, but not limited to, risks and uncertainties disclosed in Alacer's Annual Information Form and other public filings, as well as other unforeseen events or circumstances.

Other than as required by law, Alacer does not intend, and undertakes no obligation to update any forward-looking information to reflect, among other things, new information or future events. For additional information you should refer to Alacer's public filings available at www.alacergold.com, www.sedar.com and www.asx.com.au.

Scientific and technical information presented in this document has been prepared in accordance with National Instrument 43-101 ("NI 43-101") standards and the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code"). The scientific and technical information in this document has been reviewed and approved by Stephen Statham, Alacer's Manager, Mining Services, who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code.

The information in this presentation that relates to Çöpler District exploration results is based on, and fairly represents, the information and supporting documentation prepared by Mr. Smolonogov who is a Qualified Person pursuant to NI 43-101 and a Competent Person as defined in the JORC Code. Further information is available in the press release entitled "Alacer Gold Announces Additional Exploration Results for Çakmaktepe and an Initial Mineral Resource in the Cöpler District" dated December 19, 2016.

The information in this document that relates to the Çöpler Mineral Resource and Mineral Reserve estimate is based on, and fairly represents, the information and supporting documentation prepared by Dr. Parker, Mr. Seibel, Mr. Statham and Mr. Ligocki. Dr. Parker and Messrs. Seibel, Statham and Ligocki are Qualified Persons pursuant to NI 43-101 and qualify as Competent Persons as defined in the JORC Code. Further information is available in NI 43-101 technical report entitled "Cöpler Mine Technical Report" dated June 9, 2016.

The information in this document relating to the Gediktepe Mineral Resource and Mineral Reserve estimate are based on, and fairly represents, the information and supporting documentation prepared by Mr. Marek who is a Qualified Person pursuant to NI 43-101 and qualifies as Competent Persons as defined in the JORC Code. Further information is available in the NI 43-101 technical report entitled "Technical Report Prefeasibility Study Gediktepe Project" dated June 1, 2016.

Alacer confirms that it is not aware of any new information or data that materially affects the scientific and technical information included in this document, and in the case of Mineral Resources and Mineral Reserves and exploration results, that all material assumptions or technical parameters underpinning such estimates, production targets and forecast financial information continue to apply and have not materially changed from the original public disclosure. Alacer also confirms that the form and content in which such scientific and technical information is presented in this document has not materially changed from the original public disclosure.

## **Company Snapshot**



#### **Asset Locations**



**ÇN** = Çakmaktepe North (Resource); **ÇM** = Çakmaktepe Main (Prospect);

**CC** = Çakmaktepe Central (Resource & New Discovery);

**ÇE** = Çakmaktepe East (Resource); **ÇSE** = Çakmaktepe Southeast (Resource);

**CFN** = Cakmaktepe Far North (Prospect); **B** = Bayramdere (Resource)

#### Palanca Shoot Supports Growth

| Balance Sneet Supports Growth |              |  |  |  |  |  |  |  |  |  |
|-------------------------------|--------------|--|--|--|--|--|--|--|--|--|
| Balance Sheet <sup>1</sup>    |              |  |  |  |  |  |  |  |  |  |
| Cash                          | US\$202M     |  |  |  |  |  |  |  |  |  |
| Undrawn Credit Facility       | US\$220M     |  |  |  |  |  |  |  |  |  |
| Capital Structure             |              |  |  |  |  |  |  |  |  |  |
| Common Shares Outstanding     | 293M         |  |  |  |  |  |  |  |  |  |
| Fully Diluted                 | 296M         |  |  |  |  |  |  |  |  |  |
| 3 Mo Avg Daily Trading Volume | ~1.5M shares |  |  |  |  |  |  |  |  |  |
| Market Capitalization         |              |  |  |  |  |  |  |  |  |  |

Recent Share Price<sup>2</sup> C\$2.26

> ~C\$670M Market Cap

<sup>&</sup>lt;sup>1</sup> As of June 30, 2017

<sup>&</sup>lt;sup>2</sup> As of September 6, 2017

## Sulfide Project on Schedule & Tracking Under Budget

#### **2017 Milestones Equipment Procurement** Complete **Autoclaves Arrived on Site** Complete **Autoclave Assembly** Complete Complete **Engineering Design** Electrical & Instrumentation Works **Underway** Major Plant Civil Works Complete Q3 2017 **Autoclave Certification** Q3 2017 Q4 2017 Oxygen Plant Complete

#### **Major Project Milestones**

Dry Commissioning Begins

Q1 2018


First Gold Pour

Q3 2018



<sup>2</sup> This represents an accounting-based number and includes accruals

4 500M TRY Hedge at average 3.8 TRY:USD. Additional information can be found in the Turkish Lira Hedge Release.




US\$18M of capex savings on incurred costs due to the increase in negotiated Lira denominated contracts and depreciation of the Lira<sup>3</sup>

Potential for up to US\$50M of <u>additional</u> capex savings from Lira negotiated contracts and the 500M TRY FX hedging program<sup>3,4</sup>

<sup>3</sup> The capital cost estimate of US\$744 million assumed 2.75 TRY:USD. Additional information regarding the Sulfide Project can be found in the Çöpler Technical Report.

## **Çöpler Sulfide Project Construction Progress**





Alacer is On Track to Deliver the Project On Time and Under Budget

## **Project Remains on Track for First Gold Pour Q3 2018**





## **Project Remains on Track for First Gold Pour Q3 2018**





Counter Current Decantation (CCD) & Carbon-in-Pulp (CIP) Tanks





**Feed and Decant Thickeners** 

Pipe Rack & Piping Installation

TSX: ASR / ASX: AQG / 7

## **Project Remains on Track for First Gold Pour Q3 2018**






**POX Heat Recovery Unit** 

Carbon In Pulp (CIP)

Crushing Circuit

## Çöpler Sulfide Project Fully Funded<sup>1</sup>





#### Over \$80 Million FCF


through September 2018

Includes remaining 114,545 ounces hedged at an average \$1,281 gold price & 500M TRY hedge at 3.8 TRY:US

\$422M + \$80M = \$502M → Project Fully Funded

Remaining Sulfide Project Capital Spend of \$405 Million

## **Çöpler District Initial Resource Confirms Oxide Ounces**




# Initial Measured & Indicated Mineral Resource of 140,000 contained ounces<sup>1</sup>

Access road is permitted and under construction

Mineral Resource does not include most recent Çakmaktepe Central drilling






<sup>&</sup>lt;sup>1</sup> Further information, including complete drill hole data, is in the Çöpler District Resource Release dated December 19, 2016 entitled "Alacer Gold Announces Additional Exploration Results for Çakmaktepe and an Initial Mineral Resource in the Çöpler District," (the Çöpler District Resource Release"), available on www.sedar.com and on www.asx.com.au.

## **Çakmaktepe Central Resource Growth Potential**





Çakmaktepe Central discovered late 2016; most recent drilling not included in initial Resource<sup>1</sup>

Identified mineralization from 5 meter to over 20 meter thick over a 400 meter strike length

2017 drilling program continues and exploration update planned for fourth quarter 2017

**Çakmaktepe Central Significant Assays**: Significant gold assays drilled June 1, 2016 to November 15, 2016. Assays from intervals ≥10m and ≥1g/t gold only. Blue hole collars represent drilling previously reported. Red hole collars represent drilling covered in this news release. The red outline marks the footprint of the USD1,400 per gold ounce 2016 Çakmaktepe North resource pit shells. Northern Çakmaktepe Central included as part of 2016 Çakmaktepe North Mineral Resource. To view the complete drill assay results referenced in this presentation, please visit our website at www.alacergold.com.

#### Targeting 2018 Oxide Production Utilizing Existing Çöpler Infrastructure

## **Gediktepe Delivers Organic Growth**







PFS defined project as technically and economically viable

After tax NPV at 5% of \$475M and IRR of 47%<sup>1</sup>

Life-of-mine payable metals of 400,000 ozs of gold, 8M ozs of silver, 315M lbs of copper and 780M lbs of zinc<sup>1</sup>

Life-of-mine production >12 years of 1.8M ozs<sup>1</sup> on a Gold Equivalent Ounce<sup>2</sup> ("AuEq") basis & AISC of \$625/oz AuEq

Alacer owns 50% with JV Partner Lidya Mining


#### **Definitive Feasibility Study June 2018**

<sup>1</sup> The material assumptions on which the production targets and forward-looking financial information on the Gediktepe project are based are included in Gediktepe Technical Report.


<sup>2</sup> Gold Equivalent Ounce (AuEq) is a non-IFRS measure with no standardized definition under IFRS which converts non-gold production into gold equivalent ounces. Calculation of AuEq converts payable metals into revenue using metal prices of \$1,250 per ounce for gold, \$18.25 per ounce for silver, \$2.75 per pound for copper, \$1.00 per pound for zinc, and then the total revenue is divided by the gold price of \$1,250 per ounce.

## **Growing the Portfolio**






Now







Targeting 2018



Gediktepe DFS

June 2018

#### **Organic Growth Strategy Yielding Results**


## Appendix









#### **Production Increasing<sup>2</sup>**



#### Total Cash Costs<sup>3</sup> Decreasing



AISC<sup>3</sup> Decreasing



2017 production is weighted 60-65% towards the second half of the year

| Sustaining capital expenditure             | \$12 million  |
|--|---------------|
| Sulfide capital expenditure                | \$420 million |
| Gediktepe capital expenditure <sup>4</sup> | \$16 million  |
| Exploration expenditure                    | \$15 million  |
| G&A  | \$12 million  |

<sup>&</sup>lt;sup>1</sup> All numbers are on 100% basis. 2017 production, Total Cash Costs and AISC are based on mid-point of guidance.

<sup>&</sup>lt;sup>2</sup> Gold production is based on 100% basis and Alacer's attributable portion is 80%.

<sup>&</sup>lt;sup>3</sup> Total Cash Costs and All-in Sustaining Costs are non-IFRS financial performance measures with no standardized definitions under IFRS. For further information and detailed reconciliations to IFRS, see the "Non-IFRS Measures" section of the most recent MD&A.

<sup>&</sup>lt;sup>4</sup> Alacer's attributable spend for the Gediktepe Project is 50% or \$8 million

## **Second Quarter 2017 Highlights**



#### Strategic

- Sulfide Project is 48% complete, with first gold production on schedule for Q3 2018 and is tracking under budget
- Project is fully funded
- Drilling continues across
   Çakmaktepe and work is
   progressing on the
   Çakmaktepe Central
   development plan
- Gediktepe DFS continues to progress, expected completion June 2018



#### **Operational**

- On track to meet production guidance of 160-180K ozs and AISC guidance of \$700-\$750/oz
- Produced 31,391 gold ozs in Q2
- Total Cash Costs<sup>1</sup> of \$715/oz and AISC<sup>1</sup> of \$909/oz in Q2
- Heap leach pad expansion to 58Mt advancing on schedule
- Sulfide stockpiles continue to grow at 7.3Mt at avg grade of 3.35 g/t gold, or ~790k ozs of contained gold



## Financial

ALACER GOLD

- Cash of \$202M
- \$220M undrawn finance facility
- Operating cash flows of \$8M
- Attributable net profit<sup>2</sup> of \$23M or \$0.08 per share
- Captured \$18M³ of capex
  savings for the Sulfide Project
- Remaining forward gold sales of 114,545 ozs of oxide production at average gold price of \$1,281 through Sulfide Project construction
- Executed foreign currency hedge of 500M<sup>4</sup> TRY

<sup>1</sup> Total Cash Costs and All-in Sustaining Costs are all non-IFRS financial performance measures with no standardized definitions under IFRS. For further information and a detailed reconciliation to IFRS, please see the "Non-IFRS Measures" section of the most recent MD&A


<sup>2</sup> Attributable net profit is reduced by the 20% non-controlling interest at the Çöpler Gold Mine


<sup>3</sup> The capital cost estimate of US\$744 million assumes 2.75 TRY:USD. Additional detailed information regarding the Sulfide Project can be found in the Çöpler Technical Report.


<sup>500</sup>M TRY Hedge @ average 3.8 TRY:USD. For additional information, please see the press release dated July 21, 2017 entitled "Alacer Completes Favorable Turkish Lira Hedge Program, Driving Potential Reductions to the Copier Sulfide Expansion Project Capital Outlay", ("Turkish Lira Hedge Release") available on www.sedar.com and on www.asx.com.au.

## **Q2 Year-over-Year Operating Highlights**









Achieved 38% of guided production<sup>1</sup> in first half of the year, and on track to meet guidance of 160,000 to 180,000 ozs at AISC of \$700 to \$750/oz

AISC will trend lower as production increases, waste tonne haulage distances are shorter and waste tonnes are utilized in the Sulfide Project construction

Mining of oxide ore in Marble and West Pits will be completed in Q3 with the Manganese Pit becoming the primary source of oxide ore supply for the remainder of the year

## **2017 Financial Highlights<sup>1</sup>**



| On 100% basis                                     | Q1<br>2017 | Q2<br>2017 | YTD<br>2017 |  |  |  |  |  |  |  |  |
|---|------------|------------|-------------|--|--|--|--|--|--|--|--|
| Total gold ounces produced                        | 32,918     | 31,391     | 64,309      |  |  |  |  |  |  |  |  |
| Total gold ounces sold                            | 34,804     | 28,415     | 63,219      |  |  |  |  |  |  |  |  |
| Avg realized price, including hedge               | \$1,259    | \$1,271    | \$1,265     |  |  |  |  |  |  |  |  |
| Gold Sales (\$M), including hedge                 | 43.8       | 36.1       | 79.9        |  |  |  |  |  |  |  |  |
| Operating cash flow (\$M)                         | 9.1        | 8.0        | 17.1        |  |  |  |  |  |  |  |  |
| EBITDA (\$M)                                      | (2.1)      | 15.2       | 13.1        |  |  |  |  |  |  |  |  |
| EBIT(\$M)   | (12.5)     | 3.9        | (8.6)       |  |  |  |  |  |  |  |  |
| Income tax benefit (\$M)                          | 24.7       | 25.5       | 50.2        |  |  |  |  |  |  |  |  |
| Net Profit  | 12.2       | 29.5       | 41.7        |  |  |  |  |  |  |  |  |
| Cash of \$202M<br>\$220M undrawn finance facility |            |            |             |  |  |  |  |  |  |  |  |

Cash effective tax rate forecast to remain at approximately 5%


# \$35.0 \$30.0 \$25.0 \$20.0 \$15.0 \$10.0 \$5.0 \$8.7 \$-

#### **2017 Attributable EPS**

Q2 17


YTD 17

Q1 17



## Çöpler Geology – Plan of Deposit





## **Alacer's Mineral Resources**



| Alacer Gold - Measured, Indicated, and Inferred Mineral Resource Summary (As of December 31, 2016) |                                  |                   |          |          |        |        |                             |                             |                             |                             |
|--|----------------------------------|-------------------|----------|----------|--------|--------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Deposit  | Resource Category<br>Material    | Tonnes<br>(x1000) | Au (g/t) | Ag (g/t) | Cu (%) | Zn (%) | Contained Au<br>(oz x 1000) | Contained Ag<br>(oz x 1000) | Contained Cu<br>(lb x 1000) | Contained Zn<br>(lb x 1000) |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
|  | Indicated                        | 21,289            | 1.02     | 3.49     | 0.12   | -      | 696                         | 2,389                       | -                           | -                           |
| Çöpler Mine - Oxide  | Indicated - Oxide                |                   |          |          |        |        |                             |                             |                             |                             |
| ÇOPICI WIIIC OXIGE   | Stockpile                        | 7                 | 0.84     | -        | -      | -      | 0                           | -                           | -                           | -                           |
|  | Measured + Indicated             | 21,296            | 1.02     | 3.49     | 0.12   | -      | 697                         | 2,389                       | -                           | -                           |
|  | Inferred                         | 19,800            | 0.84     | 6.72     | 0.14   | -      | 537                         | 4,280                       | -                           | -                           |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
|  | Indicated                        | 66,644            | 2.12     | 6.00     | -      | -      | 4,536                       | 12,853                      | -                           | -                           |
| Çöpler Mine - Sulfide  | Indicated - Sulfide<br>Stockpile | 7,071             | 3.38     | -        | -      | -      | 767                         | -                           | -                           | -                           |
|  | Measured + Indicated             | 73,714            | 2.24     | 5.42     | -      | -      | 5,303                       | 12,853                      | -                           | -                           |
|  | Inferred                         | 12,716            | 1.99     | 12.02    | -      | -      | 814                         | 4,913                       | -                           | -                           |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
|  | Indicated                        | 95,010            | 1.96     | 4.99     | 0.03   | -      | 6,000                       | 15,242                      | -                           | -                           |
| Çöpler Mine - Total  | Measured + Indicated             | 95,010            | 1.96     | 4.99     | 0.03   | -      | 6,000                       | 15,242                      | -                           | -                           |
|  | Inferred                         | 32,516            | 1.29     | 8.79     | 0.08   | -      | 1,350                       | 9,193                       | -                           | -                           |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
|  | Indicated                        | 2,278             | 1.76     | 10.94    | -      | -      | 129                         | 801                         | -                           | -                           |
| Çakmaktepe - Oxide   | Measured + Indicated             | 2,278             | 1.76     | 10.94    | -      | -      | 129                         | 801                         | -                           | -                           |
|  | Inferred                         | 373               | 1.89     | 0.92     | -      | -      | 23                          | 11                          | -                           | -                           |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
|  | Indicated                        | 145               | 2.34     | 20.82    | -      | -      | 11                          | 97                          | -                           | -                           |
| Bayramdere - Oxide   | Measured + Indicated             | 145               | 2.34     | 20.82    | -      | -      | 11                          | 97                          | -                           | -                           |
|  | Inferred                         | 8                 | 2.17     | 19.95    | -      | -      | 1                           | 5                           | -                           | -                           |
|  | Measured                         | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           |
| Circle - District Tatal  | Indicated                        | 2,422             | 1.80     | 11.53    | -      | -      | 140                         | 898                         | -                           | -                           |
| Çöpler District Total  | Measured + Indicated             | 2,422             | 1.80     | 11.53    | -      | -      | 140                         | 898                         | -                           | -                           |
|  | Inferred                         | 381               | 1.89     | 1.35     | -      | -      | 24                          | 16                          | -                           | -                           |
|  | Measured                         | 1,722             | 2.65     | 66.50    | -      | -      | 146                         | 3,690                       | -                           | -                           |
| Gediktepe - Oxide  | Indicated                        | 2,110             | 2.56     | 71.00    | -      | -      | 174                         | 4,817                       | -                           | -                           |
| Gediktepe - Oxide  | Measured + Indicated             | 3,832             | 2.60     | 69.00    | -      | -      | 320                         | 8,497                       | -                           | -                           |
|  | Inferred                         | 213               | 1.57     | 63.10    | -      | -      | 11                          | 432                         | =                           | -                           |
|  | Measured                         | 12,027            | 0.78     | 28.50    | 1.00   | 1.89   | 300                         | 11,030                      | 263,824                     | 501,133                     |
| Gediktepe - Sulfide  | Indicated                        | 20,180            | 0.77     | 30.10    | 0.85   | 1.95   | 502                         | 19,506                      | 378,158                     | 867,540                     |
| Gediktepe - Sulfide  | Measured + Indicated             | 32,207            | 0.77     | 29.50    | 0.90   | 1.93   | 802                         | 30,536                      | 641,982                     | 1,368,673                   |
|  | Inferred                         | 1,685             | 0.81     | 31.70    | 0.98   | 1.80   | 44                          | 1,719                       | 36,256                      | 66,866                      |
| Gediktepe - Total  | Measured                         | 13,749            | 1.01     | 33.30    | 0.89   | 1.67   | 447                         | 14,710                      | 263,824                     | 501,133                     |
|  | Indicated                        | 22,290            | 0.94     | 33.90    | 0.79   | 1.80   | 675                         | 24,323                      | 378,158                     | 867,540                     |
|  | Measured + Indicated             | 36,039            | 0.97     | 33.70    | 0.82   | 1.75   | 1,122                       | 39,033                      | 641,982                     | 1,368,673                   |
|  | Inferred                         | 1,898             | 0.89     | 35.30    | 0.88   | 1.62   | 55                          | 2,151                       | 36,256                      | 66,866                      |
| Alacer Gold - Total  | Measured                         | 13,749            | 1.01     | 33.30    | 0.89   | 1.67   | 447                         | 14,710                      | 263,824                     | 501,133                     |
|  | Indicated                        | 119,722           | 1.77     | 10.50    | 0.17   | 0.34   | 6,815                       | 40,463                      | 378,158                     | 867,540                     |
|  | Measured + Indicated             | 133,471           | 1.69     | 12.86    | 0.24   | 0.47   | 7,262                       | 55,173                      | 641,982                     | 1,368,673                   |
|  | Inferred                         | 34,795            | 1.28     | 10.16    | 0.13   | 0.09   | 1,429                       | 11,361                      | 36,256                      | 66,866                      |

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report, the Çöpler District Resource Release, and in the press release dated September 13, 2016, entitled "Alacer Gold Announces a New Reserve for its Gediktepe Project Providing Future Growth" and the corresponding NI 43-101 technical report filed simultaneously with the release (the "Gediktepe PFS"), all of which can be found on www.sedar.com and on www.asx.com.au. Mineral Resources are quoted after mining depletion and are inclusive of Mineral Resources. Mineral Resources are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Resources are provided in the Çöpler Mine Technical Report, Çöpler District Resource Release and the Gediktepe PFS. The Corporation is not aware of any new information or data that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.

## **Alacer's Mineral Reserves**



| Alacer Gold - Proven and Probable Mineral Reserve Summary (As of December 31, 2016) |                              |                   |          |          |        |        |                             |                             |                             |                             |                               |                               |         |                               |
|---|------------------------------|-------------------|----------|----------|--------|--------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|---------|-------------------------------|
| Deposit   | Reserve Category<br>Material | Tonnes<br>(x1000) | Au (g/t) | Ag (g/t) | Cu (%) | Zn (%) | Contained Au<br>(oz x 1000) | Contained Ag<br>(oz x 1000) | Contained Cu<br>(lb x 1000) | Contained Zn<br>(lb x 1000) | Recoverable<br>Au (oz x 1000) | Recoverable<br>Ag (oz x 1000) |         | Recoverable<br>Zn (lb x 1000) |
|   | Proven                       | -                 | -        | -        | -      | -      | -                           | -                           | -                           | -                           | -                             | -                             | -       | -                             |
|   | Probable                     | 14,298            | 1.11     | 4.04     | 0.11   | -      | 512                         | 1,858                       | -                           | -                           | 390                           | 556                           | -       | -                             |
| Çöpler Mine - Oxide   | Probable - Oxide Stockpile   | 7                 | 0.84     | _        | -      | -      | 0                           | -                           | -                           | -                           | 0                             | -                             | -       | -                             |
|   | Proven + Probable            | 14,305            | 1.11     | 4.04     | 0.11   | -      | 512                         | 1,858                       | -                           | -                           | 390                           | 556                           | -       | -                             |
|   | Proven                       | -                 | -        | -        | -      | -      | -                           | -                           | _                           | -                           | -                             | -                             | -       | -                             |
|   | Probable                     | 32,530            | 2.63     | 7.35     | -      | -      | 2,754                       | 7,690                       | -                           | -                           | 2,647                         | 1,037                         | -       | -                             |
| Çöpler Mine - Sulfide   | Probable - Sulfide Stockpile | 7,071             | 3.38     | _        | _      | _      | 767                         | _                           | _                           | _                           | 738                           | _                             | _       | _                             |
|   | Proven + Probable            | 39,601            | 2.77     | 6.04     |        |        | 3,522                       | 7,690                       |                             |                             | 3,385                         | 1,037                         |         |                               |
|   | Proven                       | - 33,001          | -        | -        | -      |        | -                           | 7,030                       |                             |                             | 3,383                         | 1,037                         |         |                               |
| Cöpler Mine Total   | Probable                     | 53,905            | 2.33     | 5.51     | 0.03   |        | 4,034                       | 9,548                       | _                           | _                           | 3,775                         | 1,593                         | -       |                               |
| gopier wille rotal  | Proven + Probable            | 53,905            | 2.33     | 5.51     | 0.03   |        | 4,034                       | 9,548                       |                             | _                           | 3,775                         | 1,593                         |         |                               |
|   | Proven                       | 1,456             | 2.98     | 74.70    | -      | -      | 139                         | 3,497                       | _                           | _                           | 118                           | 1,541                         | _       | _                             |
| Gediktepe - Oxide   | Probable                     | 1,767             | 2.93     | 80.30    | -      | -      | 166                         | 4,562                       | _                           | _                           | 134                           | 2,011                         | _       | -                             |
| ·   | Proven + Probable            | 3,223             | 2.95     | 77.70    | -      | -      | 306                         | 8,051                       | _                           | -                           | 252                           | 3,552                         | _       | -                             |
|   | Proven                       | 10,425            | 0.84     | 31.00    | 1.04   | 2.05   | 282                         | 10,390                      | 239,025                     | 471,155                     | 64                            | 1,925                         | 160,200 | 326,600                       |
| Gediktepe - Sulfide   | Probable                     | 11,267            | 1.00     | 39.30    | 0.93   | 2.63   | 362                         | 14,236                      | 231,007                     | 653,278                     | 83                            | 2,725                         | 154,600 | 452,600                       |
|   | Proven + Probable            | 21,692            | 0.93     | 35.30    | 0.99   | 2.35   | 649                         | 24,619                      | 473,444                     | 1,123,832                   | 148                           | 4,649                         | 314,800 | 779,200                       |
|   | Proven                       | 11,881            | 1.11     | 36.30    | 0.93   | 1.82   | 424                         | 13,866                      | 243,596                     | 476,714                     | 182                           | 3,466                         | 160,200 | 326,600                       |
| Gediktepe - Total   | Probable                     | 13,034            | 1.26     | 44.90    | 0.83   | 2.32   | 528                         | 18,815                      | 238,501                     | 666,652                     | 217                           | 4,736                         | 154,600 | 452,600                       |
|   | Proven + Probable            | 24,915            | 1.19     | 40.80    | 0.88   | 2.08   | 953                         | 32,682                      | 483,367                     | 1,142,505                   | 399                           | 8,202                         | 314,800 | 779,200                       |
| Alacer Gold - Total   | Proven                       | 11,881            | 1.11     | 36.30    | 0.93   | 1.82   | 424                         | 13,866                      | 243,596                     | 476,714                     | 182                           | 3,466                         | 160,200 | 326,600                       |
|   | Probable                     | 66,939            | 2.12     | 13.18    | 0.19   | 0.45   | 4,562                       | 28,363                      | 238,501                     | 666,652                     | 3,992                         | 6,328                         | 154,600 | 452,600                       |
|   | Proven + Probable            | 78,820            | 1.97     | 16.66    | 0.30   | 0.66   | 4,987                       | 42,230                      | 483,367                     | 1,142,505                   | 4,174                         | 9,795                         | 314,800 | 779,200                       |

Notes: Further information on this resource estimate is in the Çöpler Mine Technical Report and the Gediktepe PFS, all of which can be found on the Corporation's website and the Corporation's public filings. The Mineral Reserve methodology and cut-off grades are discussed in the Çöpler Mine Technical Report and the Gediktepe PFS. Mineral Reserves are shown on a 100% basis. The key assumptions, parameters, and methods used to estimate the Mineral Reserves are provided in the Çöpler Mine Technical Report and the Gediktepe PFS. The Corporation is not aware of any new information or data that materially affects the information included in these tables and that all material assumptions and technical parameters underpinning the estimates in these tables continue to apply and have not materially changed. Rounding differences will occur.